

Fabric Requirements



**CX3060 Amber
Water Spot**
1-1/4 yards



**CX3598 Natural
Watercolor Stripe**
1/4 yard




**CXCX3060 Sand
Water Spot**
Fat Quarter



**CX3060 Slate
Water Spot**
Fat Quarter



**CX3645 Cream
Tonal Leaf**
Fat Quarter




**CX3647 Natural
Rainbow Spectrum**
Fat Quarter



**CX3261 Natural
Snippet**
Fat Quarter



**CX3646 Neutral
Spectrum Leaf**
1/6 yard



**CX3644 Ocean
Raindrops**
1/6 yard



**CX3645 Natural
Tonal Leaf**
1/6 yard



**CX3597 Natural
Watercolor Dot**
1/6 yard



**CX3644 Earth
Raindrops**
1/6 yard

Neutral Batik



Quilt measures approximately 50" x 50" Quilt designed by Marinda Stewart



118 West 22nd Street 5th Floor New York, NY 10011
Tel: 212-704-0774 Fax 212-633-0272 Email: info@michaelmillerfabrics.com
www.michaelmillerfabrics.com

Neutral Batiks

Quilt designed by Marinda Stewart. Quilt measures approximately 50" x 50

Always measure the quilt top before cutting border lengths.

Fabric:	Yardage:	Cutting:
CX3060 Sand	Fat Quarter	See instructions to cut Templates 1 & 3.
CX3261 Natural	Fat Quarter	See instructions to cut Templates 1 & 3.
CX3060 Slate	Fat Quarter	See instructions to cut Templates 1 & 3.
CX3465 Cream	Fat Quarter	See instructions to cut Templates 1 & 3.
CX3647 Natural	Fat Quarter	See instructions to cut Templates 1 & 3.
CX3597 Natural	1/6 yard	See instructions to cut Template 2.
CX3645 Natural	1/6 yard	See instructions to cut Template 2.
CX3646 Natural	1/6 yard	See instructions to cut Template 2.
CX3644 Ocean	1/6 yard	See instructions to cut Template 2.
CX3644 Earth	1/6 yard	See instructions to cut Template 2.
CX3598 Natural	1/4 yard	Cut two 1-1/2" x 40-1/2" strips. Cut two 1-1/2" x 42-1/2" strips.
CX3060 Amber	1-1/4 yards	Cut two 4-1/2" x 42-1/2" strips. Cut two 4-7/8" squares. Cut two 4-1/2" x 42-1/2" strips. Cut six 2-1/4 x Width of Fabric (WOF) for binding. See instructions to cut the leaves.

You will also need:

- 55" x 55" backing
- 55" X 55" batting
- Threads to match
- Scissors, straight pins, acrylic ruler, mat, rotary cutter

Optional:

- Template material

Disclaimers

- This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquires to the kit maker.
- Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.
- While every attempt has been made to give accurate measurements, yardage requirements and construction directions, this does not allow for personal variations in measuring, cutting and or sewing. the enclosed directions were used in the construction of the original quilt.

Assembly Instructions:

- To make one block, cut four Template #1 and four #3 pieces from CX3060 Sand. Cut four Template #2 pieces from CX3597 Natural.
- Sew one Template #1 to the top edge of Template #2 (Fig. 1). Sew Template #3 to the right side of the previous combined piece (Fig. 2). Make four units.
- Sew two units together to make a half block (Fig. 3). Sew two halves together to make one block 8-1/2" square (Fig. 4).




Fig. 1




Fig. 2




Fig. 3





Fig. 4

- Repeat Steps 1-3, using the following combinations to make twenty-five blocks total.:

	Templates #1 and #3	Template #2.
Combination A-	CX3060 Sand	CX3597 Natural
Combination B-	CX3261 Natural	CX3645 Natural
Combination C-	CX3060 Slate	CX3646 Natural
Combination D-	CX3645 Cream	CX3644 Ocean
Combination E-	CX3647 Natural	CX3644 Earth
- Sew five blocks together to make one row, following the order below:
 - Row 1:** Combination D, B, C, A, E
 - Row 2:** Combination A, D, B, E, C
 - Row 3:** Combination E, A, C, B, D
 - Row 4:** Combination B, D, B, A, C
 - Row 5:** Combination E, C, E, D, A
- Sew the five rows together from top to bottom to make one 40-1/2" square.
- Sew one of the 1-1/2" x 40-1/2" CX3598 Natural strips to each the top and bottom of the panel. Sew one of the 1-1/2" x 42-1/2" CX3598 Natural strips to each side of the panel.
- Sew one 4-1/2" x 42-1/2" CX3060 Amber strips to each the top and the bottom of the panel. Cut the two 4-7/8" CX3060 Amber squares in half diagonally to make four right triangles. Sew one triangle to each end of the 4-1/2" x 42-1/2" CX3060 Amber strip, maintaining a 42-1/2" edge on one lengthwise side of each strip. Sew one strip to each side of the panel, along the 50-1/2" edge to make a 50-1/2" square quilt with angled corners.
- Following manufacturer's directions, using the leaf pattern, trace five motifs onto fusible web. Iron the traced templates onto the back side of CX3060 Amber. Roughly cut out each shape on the drawn line. Refer to the quilt photo and press the leaves to the quilt top as shown or as desired. Finish the raw edges of each applique with a decorative stitch such as a satin or buttonhole stitch.

- 10) Layer and quilt as desired.
- 11) Piece the six 2-1/4" X WOF CX3060 Amber strips together using a 45° angle for the binding. Align the raw edges of the binding to the raw edges of the quilt top on the front side of the quilt. Sew the binding to the quilt top, pivoting the binding at each angled corner.
- 12) Fold the folded edge of the binding to the back side of the quilt and stitch in place.

BLOCK TEMPLATES
Add a 1/4" seam allowance to each template



LEAF TEMPLATES

Trace Five

CX3060 Amber

