

CX2796- Water Swirl

Honey

Silver

Silver




Silver

Spool Holder  
for the top  
of the machine

Templates  
Reversed for  
Fusible Applique



Line up the dash lines  
to tape the templates  
together



Honey


CX1087 Marble Sienna

CX1087 Marble Sienna




**CX2796- Water Swirl**

**Silver**



**Honey**



**Silver**

**Honey**



**Templates  
Reversed for  
Fusible Applique**

**Line up the dash lines  
to tape the templates  
together**



**Silver**



**Silver**



**Honey**



**CX1087 Marble Sienna**



**CX1087 Marble Sienna**

# I Love Sewing

Quilt designed by Marinda Stewart. Finished quilt size approximately 49" square

CX3107 Damask Stripe- Black	1-1/2 yards
CX2875 Dot Frock- Black	1/2 yard
Jet Black for Binding	1/2 yard
CX0482 Clown Check- White	1/4 yard
CX2796 Water Swirl- Black	Fat Quarter
CX2858 Daisy Vine- Black	Fat Quarter
CX3035 Dress Forms- Black	Fat Quarter
CX3086 Zip It- Red	Fat Quarter
CX3083 Button Up- White	Fat Quarter
CX1087 Marble- Sienna	Fat Quarter
K1149 Krystal- Red	Fat Quarter
CX3085 Sew What- Red	1/4 yard
K1083 Krystal-Gray	1/8 yard
K1027 Krystal-Pale Gold	6" x 8" piece
K1156 Krystal- Leaf Green	6" x 8" piece
CX2857 Spin Daisy- Black	1/8 yard
CM376 Fairy Frost-Honey	5" square
CM376 Fairy Frost- Silver	5" square
K1053, K1272, K1129, K1233, K1065, K1161, K1173, K1045, K1165, K1175 & K1143	2" square of each for the spool centers.
Backing	54" square
Batting	54" square
Fusible Web	
Acrylic Ruler, mat and rotary cutter	
100% cotton thread and clear monofilament thread	
Basic sewing supplies	

## Disclaimers

1. This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.
2. Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.
3. While every attempt has been made to give accurate measurements, yardage requirements and construction directions, this does not allow for personal variations in measuring, cutting and/or sewing. The enclosed directions were used in the construction of the original quilt.

1. Following the manufacturer's instructions, trace the Sewing Machine templates and labels onto the paper side of the fusible web. Make sure to trace each shape separately and leave enough room around each to roughly cut them out.
2. Iron each template onto the back side of the fabric as listed on each piece.
3. Cut out each piece on the drawn lines.
4. From CX2875, cut one 16-1/2" square.
5. Following the photo, assemble and iron together the sewing machine onto the center of the CX2875 16-1/2" squares.
6. Finish the raw edges with a decorative stitch such as a button hole or satin stitch.
7. From CX3086, center the zipper pattern in the center and cut four 1-1/2" x 16-1/2" strips. From CX2857 cut four 1-1/2" squares.
8. Sew one 1-1/2" x 16-1/2" CX3086 strip to each side of the Sewing Machine Square.
9. Sew one 1-1/2" CX2857 square to each end of the remaining two 1-1/2" x 16-1/2" strips. Sew the remaining two strips to the top and bottom of the Sewing Machine Square.
10. From CX3083, cut fourteen 3-1/2" squares.
11. From CX1087, cut twenty-eight 1-1/4" x 2" strips.
12. To make one 3-1/2" spool block, sew one 1-1/4" x 2" strip to each end of one 2" K1053 square to make the Spool Center.
13. From CX1087, cut fifty-two 1-1/4" squares. From CX2858, cut twenty-eight 1-1/4" x 3-1/2" strips.
14. Place one 1-1/4" CX1087 square on one end of a 1-1/4" x 3-1/2" strip, right sides together (fig. 1). Sew across the diagonal of the 1-1/4" square (fig. 1). Flip the triangle open and press. Cut the excess fabric from the back leaving a 1/4" seam allowance (fig. 2).
15. Repeat with another 1-1/4" CX1087 square on the other end of the strip (fig. 2).



Fig. 1



Fig. 2






Fig. 3

16. Sew the strip to one side of the Spool Center from Step 12.
17. Repeat Steps 14 and 15 to make another strip for the other side of the Spool Center. Sew the strip to the Spool Center to make one 3-1/2" Spool Block.
18. Make fourteen Spool Blocks total. Use the 2" Spool Center squares listed in the Supply List. Use scraps of K1027, K1149 and K1156 for the remaining three Spool Centers.
19. Alternate the 3-1/2" Spool Blocks with 3-1/2" CX3083 squares. Sew 6 blocks together for each side border. Sew the borders to each side of the quilt top. Sew together eight blocks for the top and bottom border. Sew the borders to the quilt top.

20. From CX3085, cut two 1-1/2" x 24-1/2" strips and two 1-1/2" x 26-1/2" strips.
21. Sew one 1-1/2" x 24-1/2" strip to each side of the quilt top.
22. Sew one 1-1/2" x 26-1/2" strip to the top and bottom of the quilt.
23. From CX3035, cut four horizontal pieces that measure 4-1/2" x 8-1/2" strips and four vertical pieces that measure 4-1/2" x 8-1/2" strips.
24. Trace eight pincushion and leaf templates onto the paper side of fusible web. Roughly cut out each shape and iron it to the back side of the listed fabric.
25. Cut out each shape on the drawn line and assemble each pincushion and iron to the center of each 4-1/2" x 8-1/2" CX3035 piece. Finish the raw edges with a decorative stitch such as a satin stitch or buttonhole stitch.
26. From CX2875, cut four 4-1/2" x 10-1/2" strips.
27. Trace four scissor templates onto the paper side of fusible web. Roughly cut out each shape and iron it to the back side of the listed fabric.
28. Cut out each shape on the drawn line and assemble each pair of scissors and iron to the center of each 4-1/2" x 10-1/2" CX2875 piece. Finish the raw edges with a decorative stitch such as a satin stitch or buttonhole stitch.
29. Use a permanent marker and draw the screw on the scissors as shown.
30. From CX2875, cut four 4-1/2" squares.
31. Trace four heart-in-hand templates onto the paper side of fusible web. Roughly cut out each shape and iron it to the back side of the listed fabric.
32. Cut out each shape on the drawn line and assemble each heart-in-hand and iron to the center of each 4-1/2" CX2875 piece. Finish the raw edges with a decorative stitch such as a satin stitch or buttonhole stitch.
33. Sew one vertical pincushion block to the top and bottom of one scissor block to make one side border. Make two side borders total. Sew one border to each side of the quilt top.
34. Sew one horizontal pincushion to each side of one scissor block. Sew one heart-in-hand block to the other side of each pincushion block to make the top border. Repeat to make the bottom border. Sew the borders to the quilt top.
35. From CX0482, fussy cut two strips, 5 checks wide x 34-1/2" strips and two strips 5 checks wide x 36".
36. Sew on 34-1/2" strip to each side of the quilt top. Sew one 36-1/2" strip to the top and bottom of the quilt top.
37. From CX3107, cut two 13-1/2" x 54" strip, centering the printed stripe on each piece. Cut each strip in half lengthwise.
38. Center one strip on one side of the quilt top. Start 1/4" down from the top edge of quilt top and sew the strip onto the quilt top stopping 1/4" up from the bottom of the quilt top. Repeat with the three remaining strips.
39. Using your favorite method, miter each corner.
40. Layer, backing, batting and quilt top. Baste.
41. Quilt as a desired.
42. From the Jet Black, cut six 2-1/4" x width of fabric strips. Piece the strips together for the binding. Bind the quilt as desired.

**Templates  
Reversed for  
Fusible Applique**



**Templates  
Reversed for  
Fusible Applique**

