

Daisy Vibe Citrus

Quilt designed by Marsha Evans Moore. Quilt measures approximately 49" x 49"

Fabric	Yardage	Cutting
CX3197 Grass	1-1/2 yards	Cut two 2-1/4" x 50" strips and two 2-1/4" x 46" strips from the length of fabric (LOF). Cut nine 10-1/2" squares.
CX3060 Moss	3/8 yard	Cut thirty-six 3" corner squares. Draw a diagonal line on the back side of each square.
CX3194 Watermelon	1-1/4 yards	Center all sashing strips lengthwise over the green stripe. Cut two 2-1/4" x 37-1/2" outer side sashing strips. Cut four 2-1/4" x 34" horizontal sashing strips. Cut six 2-1/4" x 10-1/2" vertical sashing strips.
CX3186 Orange	1/2 yard	Cut two 4" x 37-1/2" Inner Border strips and two 4" x 44-1/2" Inner Border strips.
CX3180 Orange	1/2 yard	Cut nine 3-1/4" center circles. Cut four quarter circles and ten half circles using the templates.
CX3184 Flame	1/2 yard	Cut eight wedges from the templates. Cut five 2-1/2" x width of fabric strips. Piece them together for the binding.
CX3180 Flame	1/4 yard	Cut eighteen slices and eight half circles from the templates.
CX3184 Orange	1/8 yard	Cut eighteen slices from the templates.
CX3182 Orange	1/4 yard	Cut eighteen slices and sixteen 2-3/4" circles from the templates.
CX3187 Tangerine	1/2 yard	Cut eighteen slices and twelve half circles.
CX3181 Orange	1/2 yard	Cut eighteen slices and twelve half circles.
CX3185 Red	1/2 yard	Cut ten slices and 11 half circles.

You will also need:

- 3 yards of fabric for the backing.
- 52" x 52" square of batting
- Freezer Paper to make templates
- Template Plastic to make templates
- Compass or circle templates (optional)
- Acrylic ruler, mat and rotary cutter
- Scissors and Straight Pins
- 100% cotton thread to match (We recommend Gold, Orange, Lime Green and Red-Orange.)
- Basic sewing supplies

Disclaimers

- This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.
- Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.
- While every attempt has been made to give accurate measurements, yardage requirements and construction directions, this does not allow for personal variations in measuring, cutting and or sewing. The enclosed directions were used in the construction of the original quilt.

Template Instructions

Freezer paper Templates

- Trace nine 8" large circles, nine 2-3/4" center circles and sixteen 2-1/4" sashing circles onto the dull side of the freezer paper. Cut each template out.
- Trace twenty-four 3-1/2" circles onto the freezer paper including the line that is dividing the circle in half. Cut out each circle and then cut each circle in half on the drawn line to make half circles.
- Draw one 5" circle template onto the freezer paper including the two lines that are dividing the circle. Cut out the circle. Cut the circle into quarters cutting on the drawn line to make quarter circles.

Template Plastic Templates

- Trace each fabric template onto the plastic. Cut out the template. Use the template to cut the listed fabrics in the cutting directions.

Assembly Instructions

- Place one 3" CX3060 moss square on top of one 10-1/2" CX3197 square, right sides together. Line up one corner of the smaller square with the upper left corner of the larger square (Fig. 1).
- Sew across the diagonal on the smaller square from the upper right corner to the lower left corner. Open the triangle formed and finger press the seam open. Check that the corners are aligned squarely. Flip the triangle back down and trim away the excess fabric. Press the triangle open (Fig. 2).
- Place another 3" CX3060 square on another corner of the 10-1/2" square from Step 6. Follow Figure 3 for the direction to sew the diagonal. Repeat with two more 3" CX3060 squares and the remaining two corners to make one block corner. Make nine background blocks total (Fig. 4).
- Arrange the slices for Blocks A and B as shown in the diagrams in Figure 5. With right sides together, stitch the slices together along the straight edges to form a circle. Trim the outer corner from the seam allowance on each seam. Make four A circles and five B circles.
- Pin an 8" freezer paper circle, centered on backside of one pieced circle with the shiny side facing up. Using the tip of your iron, press the outer seam allowance of the fabric circle over the edge of the freezer paper and fuse it smoothly in place.
- Note: Leave the freezer paper in place when you applique the circle down.* Center the circle right side up on one background square from Step 8. Make sure you rotate the circles so the different fabrics appear in different positions. See the quilt photo for reference. Stitch around the outer edge of the circle using a buttonhole or blanket stitch with red-orange thread. If you do not have a blanket stitch on your machine use a blind hem stitch.




Fig. 1




Fig. 2




Fig. 3




Fig. 4





Fig. 5

- 11) Turn the block over with the back side facing up and carefully cut out the background fabric from behind the appliqued circle 1/4" away from the stitching. Repeat with the remaining A circles, B circles and Background squares to make nine circle blocks.
- 12) Center and pin a 2-3/4" freezer paper circle to the back side of each 3-1/4" CX3180 circle. Using the tip of your iron, press the outer seam allowance of the fabric circle over the edge of the freezer paper and fuse it smoothly in place. Carefully remove the freezer paper from behind the circle. Repeat with the remaining 3-1/4" CX3180 circles to make nine Center Circles.
- 13) Place the center circle to the center of each 10-1/2" block from Step 12. Stitch the center circle in place using the stitch used on the larger circle and gold thread. Gently remove the freezer paper circle.
- 14) Arrange the blocks alternating Blocks A and B in three vertical rows of three blocks each. Stitch a short sashing to the top and bottom of the first block. Then stitch the next block to the other side of the sashing strip. Join the blocks in each row of 3 blocks each.
- 15) Join the rows by stitching them to the long edge of the vertical sashing. Stitch a vertical sashing strip to each side edge of joined blocks. Stitch the top and bottom sashing strips to the top and bottom edges to complete the quilt top center.
- 16) Sew one 2-1/4" x 37-1/2" CX3194 Sashing Strip to each side of the quilt top.
- 17) Sew one 4" x 37-1/2" CX3186 Orange strip to each side of the quilt top. Sew one 4" x 44-1/2" CX3186 Orange strip to the top and bottom of the quilt top.
- 18) Fuse a 2-3/8" freezer paper circle shiny side up centered on the back side of one 3-1/4" CX3185 circle. Using the tip of your iron, press the outer seam allowance of the fabric circle over the edge of the freezer paper and fuse it smoothly in place. Repeat with the remaining 3-1/4" CX3185 circles to make sixteen Sashing Circles. *Note: If you find it difficult to press the edges of the circles around the template, Baste the edge of the circle down instead of pressing it. Carefully remove the freezer paper for the back of the circle.*
- 19) Pin a Sashing Circle at each cross section of the sashing on the quilt top. Make sure to center each circle. Stitch each circle in place using the same decorative stitch from previous steps and red-orange thread.
- 20) Pin one freezer paper half circle template centered on the back side of each fabric half circle, shiny side up. Using the tip of your iron, press the outer seam allowance on the curved edge of the fabric circle over the curved edge of the freezer paper and fuse it smoothly in place.
- 21) Measure the outer edge of the quilt top- it should measure 44-1/2". Cut the two 2-1/4" x 46 CX3197 strips to the size you get when measuring your top. Measure in 1" from each end and make a mark. Pin 12 half circles evenly spaced between the marked lines with the straight edge of the half circle with the straight line of the border strip. Stitch each circle in place using the same decorative stitch from previous steps and gold thread. Gently remove the freezer paper.
- 22) Stitch the appliqued borders to each side of the quilt.
- 23) Now measure the top and bottom edges of the quilt top- it should be approximately 48". Trim the two 2-1/4" x 50" CX3197 strips to the size you get when measuring the quilt top.
- 24) Measure in 3" from each end and make a mark. Pin 12 half circles evenly spaced between the marked lines with the straight edge of the half circle. Stitch each circle in place using the same decorative stitch from previous steps and gold thread.
- 25) Sew the appliqued borders to the top and bottom of the quilt top. Gently remove the freezer paper.
- 26) Repeat Step 21 with the Quarter Circle template and the CX3180 Orange Quarter Circle pieces to make the Quarter Circles.
- 27) Pin the Quarter Circles to the corners of the quilt matching straight edges. Stitch each Quarter Circle in place using the same decorative stitch from previous steps and gold thread. Gently remove the freezer paper.
- 28) Layer, quilt and bind as desired.



Scale Check for Templates
 Some distortion can occur when
 printing or copying pages
 Use a 6" ruler and our scale
 ruler to make sure they match
 each other. If not the scale of
 the templates are off.

**Freezer Paper Templates
for
Daisy Vibe Citrus**



**8"
Large Circle**

**5"
Quarter Circle**




Scale Check for Templates
Some distortion can occur when
printing or copying pages
Use a 6" ruler and our scale
ruler make sure they match
each other. If not the scale of
the templates are off.



**Fabric Templates (continued)
for Daisy Vibe Citrus**



**Freezer Paper Templates
for
Daisy Vibe Citrus**



Scale Check for Templates
Some distortion can occur when printing or copying pages. Use a 6" ruler and our scale ruler make sure they match each other. If not the scale of the templates are off.

