



**Level: Beginner**




# FABRIC REQUIREMENTS



**CX2008 Retro  
Transportation  
1 Panel**



**CX2185 Cream  
Transit  
1 1/4 yards**



**CX1338 Black  
Party Dot  
5/8 yard**



**CX4768 Red  
Lunch Box  
1/4 yard**



**CX1065 Banana  
Garden Pindot  
1/6 yard**



**CX3137 Retro  
Play Stripe  
5/8 yard**

**Backing & Batting: 54" x 58"**

## "Transportation III"

Quilt by Marinda Stewart

Size: Approximately 47" W x 51" H Skill Level : Beginner

### Materials

Fabric	Yardage	Cutting
CX2008 Retro Transportation	1 Panel *	(2) 9 1/2" w x 42 1/4" h (1) 4 3/4" x 42 1/4"
CX2185 Cream Transit	1 1/4 yards **	(2) 6" w x 42 1/4" h
CX1338 Black Party Dot	5/8 yard	(4) 1 1/2" x 42 1/4" (5) 2 1/2" x W.O.F.
CX4768 Red Lunch Box	1/4 yard	(2) 1 1/2" x 40" (2) 1 1/2" x 42 1/4"
CX1065 Banana Garden Pindot	1/6 yard	(2) 1" x 41" (2) 1" x 44 1/4" ***
CX3137 Retro Play Stripe	5/8 yard	(2) 3 1/2" x 41" (2) 3 1/2" x 51 1/4" ***
<p>* One complete repeat. Trim panels leaving 1/2" of black on all sides. ** One-way print. Cut vertically. *** Pieced for length.</p>		
<p><b>Also Needed:</b> 54" x 58" backing, 54 x 58" batting, threads to match, scissors, straight pins, rotary cutter, acrylic ruler, and mat.</p>		

## Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs, and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements, and construction directions; this does not allow personal variations in measuring, cutting, and or sewing. The enclosed directions were used in the construction of the original quilt.

## Directions

1. Sew one CX1338 1 1/2" x 42 1/4" piece to each side of CX2008 4 3/4" x 42 1/4" piece.
2. Sew one CX2185 6" x 42 1/4" to each side of the center panel. Keep motifs upright.
3. Sew one CX1338 1 1/2" x 42 1/4" piece to each side of the center panel.
4. Sew one CX2008 9 1/2" x 42 1/4" to each side of the panel as shown.
5. Sew one CX4768 1 1/2" x 42 1/4" to each side of the quilt top. Sew one CX4768 1 1/2" x 40" to the top and bottom of the quilt.
6. Sew one CX1065 1" x 44 1/4" (pieced for length) to each side of the quilt. Sew one CX1065 1" x 41" piece to the top and bottom of the quilt.
7. Sew one CX3137 3 1/2" x 41" piece to the top and bottom of the quilt. Sew one CX3137 3 1/2" x 51 1/4" piece (pieced for length with the stripe) to each side.
8. Layer backing, batting, and quilt top. Baste.
9. Quilt as desired.
10. Bind quilt using CX1338 2 1/2" strips pieced as needed for length.