# ICE PALACE



## **FABRIC REQUIREMENTS**



CM2049\_BLUE SNOWFLAKE STRIPE 1 YARD



CM2050\_AMETHYST SNOWFALL 7/8 YARD



CM2050\_BLUE SNOWFALL 1/2 YARD 5 1/4 YARDS (BACKING)




CM2050\_BLIZZARD SNOWFALL 2 YARDS



CM0376\_PERI FAIRY FROST 1 YARD



CM0376\_AQUA FAIRY FROST 7/8 YARD



CM0376\_FANCY FAIRY FROST 2/3 YARD



CM0376\_LILAC FAIRY FROST 1 1/2 YARDS



CM0376\_ZIRCONIUM **FAIRY FROST** 2 1/4 YARDS

#### "Ice Palace"

#### Quilt by Heidi Pridemore

Size: Approximately 62" x 82" Skill Level: Intermediate

## **Materials**

#### **Cutting instructions**

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

	Fabric	Yardage	Cutting
(A)	CM0376-Zirconium Fairy Frost – Zirconium	2 ¼ yards	<ul> <li>Cut one 22" x 52" strip from the length of fabric (LOF).</li> <li>Cut one 16 ½" x 39 ½" LOF strip.</li> <li>Cut one 3 ½" x WOF strip. Sub-cut strip into one 3 ½" x 25 ½" strip, one 3 ½" square, one 2 ½" x 3 ½" strip and one 2 ½" square.</li> <li>Cut one 6 ½" x WOF strip. Sub-cut strip into one 6 ½" x 11 ½" strip and two 4 ½" squares.</li> <li>See instructions to cut ten snowflakes.</li> </ul>
(B)	CM0376-Aqua Fairy Frost – Aqua	⅓ yard	<ul> <li>Cut one 4 ½" x 26 ½" strip.</li> <li>Cut one 2 ½" x WOF strip. Sub-cut strip into twelve 2 ½" squares and one 2 ½" x 4 ½" strip.</li> <li>Cut one 1 ½" x WOF strip. Sub-cut strip into two 1 ½" x 2 ½" strips and two 1 ½" x 4 ½" strips.</li> <li>Cut two 2 ½" x 36 ½" strips.</li> <li>See instructions to cut six snowflakes.</li> </ul>
(C)	CM0376-Peri Fairy Frost – Peri	1 yard	<ul> <li>Cut two 4 ½" x 21 ½" strips.</li> <li>Cut two 3 ½" x 31 ½" strips.</li> <li>Cut two 2 ½" x 26 ½" strips.</li> <li>Cut one 8 ½" x WOF strip. Sub-cut strip into one 8 ½"square, one 2 ½" x 8 ½" strip, four 2 ½" x 4 ½" strips and one 2 ½" square.</li> </ul>
(D)	CM0376-Lilac Fairy Frost – Lilac	1 ½ yards	<ul> <li>Cut two 2 ½" x 28 ½" strips.</li> <li>Cut two 3 ½" x 36 ½" strips.</li> <li>Cut one 11" x WOF strip. Sub-cut the strip into one Template-2 triangle, two 5 ½" x 6 ½" strips, two 4 ½" x 5 ½" strips and two 4 ½" x 8 ½" strips.</li> <li>Cut one 2 ½" x WOF strip. Sub-cut the strip into two 2 ½" x 5 ½" strips, two 2 ½" x 3 ½" strips, two 2 ½" squares, two 1 ½" x 4 ½" strips and four 1 ½" squares.</li> <li>Cut four 2 ½" x 21 ½" strips.</li> <li>Cut one 4 ½" x WOF strip. Sub-cut the strip into four 4 ½" squares.</li> <li>See instructions to cut five spires.</li> </ul>
(E)	CM2050-Blizzard Snowfall – Blizzard	2 yards	<ul> <li>Cut one 11 ½" x WOF strip. Sub-cut the strip into one Template-1 triangle, one Template-3 triangle, two 4 ½" x 10 ½" strips and one 6 ½" x 11 ½" strip.</li> <li>Cut two 16 ½" x 39 ½" strips.</li> <li>Cut one 10 ½" x WOF strip. Sub-cut the strip into one 10 ½" x 18 ½" strip, two 4 ½" squares and one 3 ½" square.</li> <li>Cut one 2 ½" x WOF strip. Sub-cut the strip into two 2 ½" x 12 ½" strips, five 2 ½" squares and one 2 ½" x 3 ½" strip.</li> <li>Cut one 3 ½" x 25 ½" strip.</li> </ul>
(F)	CM2050-Blue Snowfall – Blue	½ yard	See instructions to cut eleven wind swirls.

#### **Materials - Continued**

Fabric

#### **Cutting instructions**

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

	Tablic	raruage	Cutting
(G)	CM0376-Fancy Fairy Frost – Fancy	⅔ yard	<ul> <li>Cut four 2 ½" x WOF strips. Sew the strips together, end to end with diagonal seams, and cut two 2 ½" x 70 ½".</li> <li>Cut three 2 ½" x WOF strips. Sew the strips together, end to end with diagonal seams, and cut two 2 ½" x 54 ½".</li> </ul>
(H)	CM2049-Blue Snowflake Stripe – Blue	1 yard	<ul> <li>Cut four 4 ½" x WOF strips. Sew the strips together, end to end with diagonal seams, and cut two 4 ½" x 74 ½".</li> <li>Cut three 4 ½" x WOF strips. Sew the strips together, end to end with diagonal seams, and cut two 4 ½" x 54 ½".</li> </ul>
(1)	CM2050-Amethyst Snowfall – Amethyst	% yard	<ul> <li>Cut one 4 ½" x WOF strip. Sub-cut strip into four 4 ½" squares.</li> <li>Cut eight 2 ½" x WOF strips for the binding.</li> </ul>
Back	ing CM2050-Blue Snowfall – Blue	5 ¼ yards	•Cut two 90" x WOF strips. Piece the strips together and trim to make the 70" x 90" pieced backing.

#### You will also need:

70" x 90" batting, threads to match, scissors, straight pins, acrylic ruler, rotary cutter and mat.

Yardage

#### **Disclaimers**

This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements and construction directions; this does not allow personal variations in measuring, cutting or sewing. The enclosed directions were used in the construction of the original quilt.

#### **Block One Assembly**

- 1. Place (1) 4 ½" Fabric E square on the left side of (1) 4 ½" x 8 ½" Fabric D strip, right sides together (Fig. 1). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 1). Flip open the triangle formed and press (Fig. 2). Trim away the excess fabric from behind the triangle, leaving a ¼" seam allowance. This "flip and sew" method will be used in several other steps in this quilt. (Note: When using the flip and sew method, refer to the appropriate figure or quilt layout for the correct seam direction.)
- 2. Using the flip and sew method, sew (1) 4 ½" Fabric E square on the right side of the 4 ½" x 8 ½" Fabric D strip from Step 1 to make (1) EDE unit (Fig. 3).



1 Fig. 2







Cutting

2 Fig. 3

- 3. Use the flip and sew method to add a 3 ½" Fabric E square to upper right corner of (1) 3 ½" x 31 ½" Fabric C strip to make (1) CE strip (Fig. 4).
- 4. Use the flip and sew method to add a 2 ½" Fabric E square to the upper left corner of (1) 2 ½" x 28 ½" Fabric D strip to make (1) DE strip (Fig. 5).
- 5. Using the flip and sew method, sew (1) 4 ½" Fabric D square to the upper left corner and the upper right corner of (1) 4 ½" x 21 ½" Fabric C strip to make (1) DCD unit (Fig. 6).




6. Follow Figure 7 and sew (1) 3 ½" x 25 ½" Fabric E strip, (2) 2 ½" x 21 ½" Fabric D strips, (1) DCD unit, (1) CE strip, (1) DE strip, (1) EDE unit, (1) 6 ½" x 11 ½" Fabric E strip and (1) 2 ½" x 3 ½" Fabric E strip together to make Block One.



## **Block Two Assembly**


- 7. Using the flip and sew method, sew (1) 2 ½" Fabric B square to the right side of (1) 2 ½" x 4 ½" Fabric C strip to make (1) Left BC unit. Repeat, placing the 2 ½" Fabric B square on the left side of a second 2 ½' x 4 ½" Fabric C strip to make (1) Right BC unit (Fig. 8).
- 8. Sew (2) 3 ½" x 36 ½" Fabric D strips, (2) 2 ½" x 36 ½" Fabric B strips, (2) 2 ½" x 26 ½" Fabric C strips, (1) 4 ½" x 26 ½" Fabric B strip, (1) Left BC unit, (1) Right BC unit and (1) 8 ½" Fabric C square together to make (1) Block Two (Fig. 9).






#### **Block Three Assembly**

- 9. Using the flip and sew method, sew (1) 2 ½" Fabric A square to the upper right corner of (1) 2 ½" x 28 ½" Fabric D strip to make (1) AD unit (Fig. 10).
- 10. Using the flip and sew method, sew (1) 3 ½" Fabric A square to upper left corner of (1) 3 ½" x 31 ½" Fabric C strip to make (1) AC unit (Fig. 11).
- 11. Using the flip and sew method, sew (1) 4 ½" Fabric A square to the left side and to the right side of (1) 4 ½" x 8 ½" Fabric D strip to make (1) ADA unit (Fig. 12).
- 12. Using the flip and sew method, sew (1) 4 ½" Fabric D square to the upper left corner and the upper right corner of (1) 4 ½' x 21 ½" Fabric C strip to make (1) DCD unit (Fig. 13).
- 13. Follow Figure 14 and sew (1) AD unit, (1) AC unit, (2) 2 ½" x 21 ½" Fabric D strips, (1) DCD unit, (1) 3 ½" x 25 ½" Fabric A strip, (1) ADA unit, (1) 6 ½" x 11 ½" Fabric A strip and (1) 2 ½" x 3 ½" Fabric A strip together to make (1) Block Three.






### **Block Four Assembly**

14. Use the flip and sew method to sew (1) 2 ½" Fabric E square to one side of (1) 2 ½" x 5 ½" Fabric D strip and (1) 2 ½" Fabric B square to the other side to make (1) EDB unit. Repeat to make a BDE unit (Fig. 15).

(Note: Seam directions are the same for the two  $2 \frac{1}{2}$ " squares, but are opposite between the EDB and BDE units.)


- 15. Use the flip and sew method to add a 2 ½" Fabric B square to each side of (1) 2 ½" x 8 ½" Fabric C strip to make (1) large BCB unit (Fig. 16).
- 16. Use the flip and sew method to put a 2 ½" Fabric B square on the lower right corner of (1) 4 ½" x 5 ½" Fabric D square to make (1) small Right BD unit. Repeat to make a second unit with the 2 ½" Fabric B square on the lower left corner to make (1) small Left BD unit (Fig. 17).
- 17. Use the flip and sew method to put a 2 ½" Fabric B square on the left side and the right side of (1) 2 ½" x 4 ½" Fabric C strip to make (1) small BCB unit (Fig. 18).




18. Use the flip and sew method to add a 2 ½" Fabric D square to each side of (1) 2 ½" x 4 ½" Fabric B strip to make (1) large DBD unit (Fig. 19).



19. Use the flip and sew method to add a 1 ½" Fabric D strip to each side of (1) 1 ½" x 4 ½" Fabric B strip to make (1) small DBD unit (Fig. 20). Repeat to make a second small DBD unit.



20. Use the flip and sew method to add a 2 ½" Fabric E square to the upper left corner of (1) 5 ½" x 6 ½" Fabric D square to make (1) large Left ED unit. Repeat to add a 2 ½" Fabric E square to the upper right corner of a second 5 ½" x 6 ½" Fabric D square to make (1) large Right ED unit (Fig. 21).



21. Follow Figure 22 and sew the units from Steps 14-20, (2) 2 ½" x 12 ½" Fabric E strips, (2) 1 ½" x 2 ½" Fabric B strips, (2) 1 ½" x 4 ½" Fabric D strips, (2) 2 ½" x 3 ½" Fabric D strips, (1) 2 ½" x 4 ½" Fabric C strips, (2) 2 ½" Fabric B squares and (1) 2 ½" Fabric C square together to make (1) Block Four.

Fig. 21




Fig. 22

## **Block Five Assembly**

22. Place one Fabric E- Template 1 triangle on top of one Fabric D-Template 2 triangle, right sides together, aligning the left sides (Fig. 23). Sew the two triangles together along the left side. Press the smaller triangle open.







Fig. 23

- 23. Place one Fabric E- Template 3 triangle on top of the Fabric D-Template 2 triangle, right sides together, aligning the right sides (Fig. 24). Sew the two triangles together along the right side. Press the smaller triangle open to make one EDE unit (Fig. 25). Trim to measure 10 ½" square.
- 24. Sew (1) 4 ½" x 10 ½" Fabric E strip to each side of the EDE unit to make (1) Block Five (Fig. 26).







#### **Block Six Assembly**

25. Follow the Quilt Photo and draw a gently curving line on the 16 ½" x 39 ½" Fabric A strip. Cut on the line. Position the Fabric A piece on top of the 16 ½" x 39 ½" Fabric E strip, aligning the bottom of the (2) fabrics. Machine stitch the Fabric A piece to the Fabric E strip along the curve. Trim the excess Fabric E fabric from behind the Fabric A piece, leaving a 1/4" seam allowance to make (1) Block Six.

#### **Quilt Top Assembly**

Sew the six blocks, (1) 16 1/2" x 39 1/2" 26. Fabric E strip and (1) 10 ½" x 18 ½" Fabric E strip together to make the quilt top (Fig. 27).




Fig. 27

- 27. Draw a gentle curving line of the 22" x 52" Fabric A strip from the upper right to the lower left as shown in the Quilt Photo. Cut on the line. Position the Fabric A strip onto the bottom of the quilt top, aligning the bottom and right sides. Machine stitch the Fabric A piece to the quilt bottom strip along the curve (Fig. 28). Trim the excess quilt top fabric from behind the Fabric A piece, leaving a 1/4" seam allowance.
- 28. Following the manufacturer's instructions, trace the listed number of each template onto the paper side of the fusible web. Roughly cut out each template about 1/8" outside the drawn lines.
- 29. Press each template onto the wrong side of the fabrics as listed on the templates. Cut out each template on the drawn lines.
- 30. Refer to the quilt photo to arrange and press the (11) Fabric F wind swirls, (10) Fabric A snowflakes, (6) Fabric B snowflakes and (5) spires onto the quilt top.






Fig. 28


#### Refer to the Quilt Layout while assembling.

- 31. Sew (1) 2 ½" x 70 ½" Fabric G strip to each side of the quilt top. Sew (1) 2 ½" x 54 ½" Fabric G strip to the top and to the bottom of the quilt top.
- 32. Sew (1) 4 ½" x 74 ½" Fabric H strip to each side of the quilt top. Sew (1) 4 ½" Fabric I square to each end of (1) 4 ½" x 54 ½" Fabric H strip. Repeat to make a second strip. Sew the strips to the top and to the bottom of the quilt top.
- 33. Layer and quilt as desired.
- 34. Sew the eight 2 ½" x WOF Fabric I strips together, end-to-end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press
- 35. Bind as desired.




Quilt Layout






Quilt Templates



Quilt Templates 12

## **ENLARGE TEMPLATES ON THIS PAGE ONLY 200%**



13 ©2014 Michael Miller Fabrics LLC