

BABY'S GOT THE BLUES



SIZE: 63" X 77" | QUILT DESIGNED BY TARA FAUGHNAN

FABRIC REQUIREMENTS

69" x 83" Backing and Batting or 4 1/2 - 5 yards



SC5333 Black
Cotton Couture
3/4 yard



SC5333 Clay
Cotton Couture
3/4 yard



SC5333 Ozone
Cotton Couture
1/4 yard




SC5333 Midnight
Cotton Couture
1 1/8 yards



SC5333 Royal
Cotton Couture
1 1/8 yards



SC5333 Cobalt
Cotton Couture
1 1/3 yards



SC5333 Sailor
Cotton Couture
1 yard



SC5333 Boy
Cotton Couture
1/4 yard



SC5333 Breeze
Cotton Couture
3/4 yard





SC5333 Bright White
Cotton Couture
1 1/3 yards

Winter Quilt by Tara Faughnan

63" by 77"

This pattern assumes there will be 40" useable width of fabric (WOF)

SC5333	YARDAGE	CUT	SUBCUT
Black	3/4 yd	Cut (6) 8 1/4" squares. Cut (2) 3" by WOF strips.	Cut ALL of the 8 1/4" squares twice on the diagonal, creating 4 large triangles from each square. 
Clay	3/4 yd	Cut (6) 8 1/4" squares. Cut (2) 3" by WOF strips. Cut (1) 4 3/8" square.	
Ozone	1/4 yd	Cut (2) 3" by WOF strips.	Cut ALL of the 4 3/8" squares once on the diagonal, creating 2 small triangles from each square. 
Midnite	1 1/8 yd	Cut (6) 8 1/4" squares. Cut (6) 3" by WOF strips. Cut (1) 4 3/8" square.	
Royal	1 1/8 yd	Cut (6) 8 1/4" squares. Cut (6) 3" by WOF strips. Cut (1) 4 3/8" square.	
Cobalt	1 1/3 yd	Cut (6) 8 1/4" squares. Cut (4) 3" by WOF strips. Cut (1) 4 3/8" square.	
Sailor	1 yd	Use the remaining fabric for binding Cut (6) 8 1/4" squares. Cut (4) 3" by WOF strips. Cut (1) 4 3/8" square.	
Boy	1/4 yd	Cut (2) 3" by WOF strips.	
Breeze	3/4 yd	Cut (6) 8 1/4" squares. Cut (2) 3" by WOF strips. Cut (1) 4 3/8" square.	
Bright White	1 1/3 yd	Cut (11) 8 1/4" squares. Cut (6) 3" by WOF strips. Cut (2) 4 3/8" squares.	
Backing	69" by 83" (4 1/2 to 5 yds)		
Batting	69" by 83"		

Winter Quilt

63" x 77"

Made by Tara Faughnan

Quilted by Terri Carpenter

MATERIALS:

Refer to cutting chart for yardage requirements

rotary cutting supplies

low loft batting

fabric for backing and binding

Sew all seams using an exact 1/4" seam allowance.

TIP: The accuracy of this block depends on consistent seam allowances and careful pressing

FOUR-PATCH BLOCK ASSEMBLY:

1. Sew together (2) 3" by WOF (width of fabric) strips and press towards the darker color.
2. Cut strip into 3" pieces.



4. Place two pieces RST (right sides together) so that your seams are going in opposite directions and your colors are also opposite one another. Sew together and press open. This four-patch block should measure 5.5" square.



5. Make 12 four-patch blocks in the following combinations:

Cobalt/Breeze

Ozone/Midnite

Black/Cobalt

Clay/Midnite

Bright White/Midnite

Make 11 four-patch blocks in the following combinations:

Royal/Bright White

Royal/Boy

Sailor/Bright White

Sailor/Royal

ROW ASSEMBLY:

For Row 1 you will need:


12 Cobalt/Breeze four patch blocks

11 large Black triangles

11 large Midnight triangles

*Note the color placement and position of all the pieces. Keep this consistent throughout.

1. Sew triangles to each side of the four patch as shown to make block A. Press seams towards the triangles.




2. Make 10 A blocks.

3. Lay out the pieces following the diagram below, and sew 1 four patch and 1 Midnight triangle together to make block B. Press seam towards triangle.



4. Lay out the pieces following the diagram below, and sew 1 four patch and 1 Black triangle together to make block C. Press seam towards triangle.



5. Sew 1 B block, 10 A blocks and 1 C block together to make the row. Press seams open.



6. Cut off the ends of the row 1/4" beyond center points



For Row 2 you will need:

- 11 Royal/Bright White four patch blocks
- 10 large Clay triangles
- 10 large Midnite triangles
- 2 small Clay triangles
- 2 small Midnite triangles

*Note the color placement and position of all the pieces. Keep this consistent throughout.

1. Sew triangles to each side of the four patch as shown to make block A.
Press seams towards the triangles.



3. Make 9 A blocks.

4. Lay out the pieces following the diagram below, and sew one at a time: 1 large Clay triangle, 1 small Midnite triangle and 1 small Clay triangle to the four patch to make Block D.
Press seams towards triangles as you add each piece.



5. Lay out the pieces following the diagram below and sew one at a time: 1 large Midnite triangle, 1 small Clay triangle and 1 small Midnite triangle to the four patch to make Block E.
Press seams towards triangles as you add each piece.



6. Sew 1 D block, 9 A blocks and 1 E block together to make the row. Press seams open.



For Row 3 you will need:

12 Ozone/Midnite four patch blocks

11 large Clay triangles

11 large Bright White triangles

Sew together as for Row 1. Refer to diagram below for color orientation



For Row 4 you will need:

11 Royal/Boy four patch blocks

10 large Sailor triangles

10 large Bright White triangles

2 small Sailor triangles

2 small Bright White triangles

Sew together as for Row 2. Refer to diagram below for color orientation.



For Row 5 you will need:

12 Black/Cobalt four patch blocks

11 large Sailor triangles

11 large Royal triangles

Sew together as for Row 1. Refer to diagram below for color orientation.



For Row 6 you will need:

11 Sailor/Bright White four patch blocks

10 large Royal triangles

10 large Breeze triangles

2 small Royal triangles

2 small Breeze triangles

Sew together as for Row 2. Refer to diagram below for color orientation.



For Row 7 you will need:

12 Clay/Midnite four patch blocks

11 large Breeze triangles

11 large Bright White triangles

Sew together as for Row 1. Refer to diagram below for color orientation.



For Row 8 you will need:

11 Sailor/Royal four patch blocks

10 large Bright White triangles

10 large Cobalt triangles

2 small Bright White triangles

2 small Cobalt triangles

Sew together as for Row 2. Refer to diagram below for color orientation.



For Row 9 you will need:

12 Bright White/Midnite four patch blocks

11 large Cobalt triangles

11 large Black triangles

Sew together as for Row 1. Refer to diagram below for color orientation.



QUILT ASSEMBLY:

1. Sew rows 1 through 9 together as indicated in the diagram below.
2. Layer quilt top, batting and backing together. Baste and quilt as desired.

