

michael miller FABRICS

GRILL MASTER

SIZE: 68 1/2"W x 77"H • LEVEL: INTERMEDIATE • PATTERN BY: NATALIE CRABTREE • BEST BBQ EVER FABRIC COLLECTION
PATTERN AVAILABLE ON: WWW.MICHAELMILLERFABRICS.COM



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE BEGINNING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT MICHAELMILLERFABRICS.COM'S FREE PROJECTS SECTION.

p.212.704.0774 | info@michaelmillerfabrics.com | www.michaelmillerfabrics.com



GRILL MASTER




FABRIC A
Cotton Couture
SC_5333 Bright White
3 1/2 yards



FABRIC B
DCX10537
Cookouts Blue
1 FQ



FABRIC C
CX10540
Grill in Style Black
1 FQ



FABRIC D
DCX10539
Lemonade Please Red
1 FQ



FABRIC E
DCX10538
Good Eats White
1 FQ



FABRIC F
CX10543
Master Grill Taupe
1 FQ



FABRIC G
DCX10541
Outdoor Kitchen Beige
1 FQ



FABRIC H
Cotton Couture
SC_5333 Bottle
1 F8




FABRIC I
Cotton Couture
SC_5333 Coral
1 F8



FABRIC J
Cotton Couture
SC_5333 Paprika
1 F8



FABRIC K
Cotton Couture
SC_5333 Ochre
1 F8



FABRIC L
Cotton Couture
SC_5333 Key Lime
1 F8




FABRIC M
Cotton Couture
SC_5333 Spice
1 F8



FABRIC N
CX10545
Outdoor Dining Red
1/2 yard



FABRIC O
DCX10537
Cookouts Taupe
3/4 yard



FABRIC P
Cotton Couture
SC_5333 Wind
3/4 yard



FABRIC Q
Cotton Couture
SC_5333 Stone
1/4 yard



FABRIC R
CX10544
BBQ Bench Taupe
7/8 yard
(includes binding)

BACKING
4 3/4 yards



GRILL MASTER

Designer Note: Divide cut pieces by the block they are assigned to, either the Apron Blocks or Spatula Blocks. Complete cutting instructions in the order written. Cutting instructions are based on a 42" WOF.

WOF = Width of Fabric, FQ = Fat Quarter, F8 = Fat Eighth, RST = Right Sides Together, SNF = Stitch and Flip

KEY	CUTTING INTRUCTIONS
A	<ul style="list-style-type: none"> • Cut (1) 6 ½" x WOF strip. Subcut the following for Apron Blocks: <ul style="list-style-type: none"> ◦ (12) 6 ½" x 1 ½" rectangles. ◦ (12) 6 ½" x 1" rectangles. • Cut (5) 3 ½" x WOF strips. Subcut the following for Apron Blocks: <ul style="list-style-type: none"> ◦ (12) 3 ½" x 7 ½" rectangles. ◦ (12) 3 ½" squares. ◦ (12) 3 ½" x 3" • Cut (4) 3" x WOF strips. Subcut the following for Apron Blocks: <ul style="list-style-type: none"> ◦ (12) 3" x 9 ½" rectangles. ◦ (12) 3" x 2 ½" rectangles. • Cut (3) 1 ½" x WOF strips. Subcut the following for Apron Blocks: <ul style="list-style-type: none"> ◦ (6) 1 ½" x 10 ½" rectangles. ◦ (24) 1 ½" squares. • Cut (2) 3 ½" x WOF strips. Subcut the following: <ul style="list-style-type: none"> ◦ Leave (1) WOF strip whole for Spatula Blocks. ◦ Trim (1) strip to measure 3 ½" x 16" for Spatula Blocks. ◦ Use the remainder of the second strip to subcut (6) 3 ½" x 2 ½" rectangles for Apron Blocks. • Cut (4) 1 ½" x WOF strips. Subcut the following for Spatula Blocks: <ul style="list-style-type: none"> ◦ (6) 1 ½" x 20 ½" strips. ◦ (24) 1 ½" squares. • Cut (2) 3 ½" x WOF strips. Subcut (24) 3 ½" squares for Spatula Blocks. • Cut (2) 7 ½" x WOF strips. Subcut (24) 7 ½" x 3 ½" rectangles for Spatula Blocks. • Cut (2) 5 ½" x WOF strips. Subcut (24) 5 ½" x 3" rectangles for Spatula Blocks. • Cut (9) 2" x WOF strips. Subcut the following for Quilt Assembly: <ul style="list-style-type: none"> ◦ (9) 2" x 20 ½" strips. ◦ (8) 2" x 15 ½" strips. • Cut (7) 1 ½" x WOF strips. Piece strips for length using diagonal seams. From the long strip, subcut the following for Quilt Assembly: <ul style="list-style-type: none"> ◦ (2) 1 ½" x 63 ½" Side Border strips. ◦ (2) 1 ½" x 67" Top/Bottom Border strips.
B - G	<ul style="list-style-type: none"> • From each FQ, subcut the following pieces for Apron Blocks: <ul style="list-style-type: none"> ◦ (1) 10 ½" x 6 ½" rectangle. ◦ (1) 10 ½" x 1 ½" rectangle. ◦ (2) 5 ½" x 2" rectangles. ◦ (1) 4 ½" square. ◦ (1) 4 ½" x 1 ½" rectangle. ◦ (2) 2 ½" x 1" rectangles.
H - M	<ul style="list-style-type: none"> • From each F8, subcut the following pieces for Apron Blocks: <ul style="list-style-type: none"> ◦ (1) 7 ½" x 5 ½" rectangle. ◦ (2) 6 ½" x 1 ½" rectangles. ◦ (2) 2 ½" squares.



GRILL MASTER

N	<ul style="list-style-type: none">• Cut (7) 1 ½" x WOF strips. Piece strips for length using diagonal seams. From the long strip, subcut the following for Quilt Assembly:<ul style="list-style-type: none">◦ (2) 1 ½" x 65 ½" Side Border strips.◦ (2) 1 ½" x 69" Top/Bottom Border strips.• Cut (1) 2" x WOF strip. Subcut (6) 2" squares for Quilt Assembly.
O	<ul style="list-style-type: none">• From Cut (4) 5 ½" x WOF strips. Piece (2) strips for length using diagonal seams. Repeat to create (2) long strips. Subcut (2) 5 ½" x 69" Top/Bottom Border strips for Quilt Assembly.
P	<ul style="list-style-type: none">• Cut (10) 1 ½" x WOF strips. Subcut the following for Spatula Blocks:<ul style="list-style-type: none">◦ Leave (2) WOF strips whole.◦ (2) 1 ½" x 16" strips.◦ (48) 1 ½" x 5 ½" rectangles.• Cut (1) 7 ½" x WOF strip. Subcut (12) 7 ½" x 3 ½" rectangles for Spatula Blocks.
Q	<ul style="list-style-type: none">• Cut (3) 1 ½" x WOF strips. Subcut (12) 1 ½" x 7 ½" rectangles for Spatula Blocks.
R	<ul style="list-style-type: none">• Cut (8) 2 ¼" x WOF strips for binding.• Cut (2) 2 ½" x WOF strips. Subcut (12) 2 ½" x 5 ½" rectangles for Spatula Blocks.


GRILL MASTER

Piecing Instructions:


Apron Block Assembly:

Designer Note: Assembly instructions and diagrams for Apron Blocks reference Fabrics B and H, and describe how to create (1) block. There are (5) additional Apron Block colorways shown in Step 20.

1. Draw a diagonal line on the wrong side of (2) 1 ½" Fabric A squares.
2. Place (1) 1 ½" Fabric A square onto either corner of (1) 1 ½" x 4 ½" Fabric B rectangle, RST and edges aligned. Note the orientation of the drawn diagonal lines.
3. Sew along the drawn diagonal lines on each Fabric A square. Then, trim excess corner fabric to a ¼". Press toward the corner to complete SNF techniques.




4. Arrange the SNF unit created in Steps 1-3, (1) 3 ½" x 2 ½" Fabric A rectangle, (2) 3 ½" x 7 ½" Fabric A rectangles, (2) 1" x 2 ½" Fabric B rectangles and (1) 4 ½" Fabric B square to form the top of the Apron Block.
5. Sew together as shown, pressing away from the SNF unit. Once complete, the unit should measure 10 ½" x 7 ½" unfinished.



6. Draw a diagonal line on the wrong side of (2) 3 ½" Fabric A squares.
7. Place (1) 3 ½" Fabric A square onto either top corner of (1) 10 ½" x 6 ½" Fabric B rectangle, RST. Note the orientation of the drawn diagonal lines.


GRILL MASTER

8. Repeat SNF techniques to attach Fabric A squares to either top corner as shown.



9. Arrange the SNF unit created in Steps 6-8, (1) 1 1/2" x 10 1/2" Fabric A rectangle, (2) 2" x 5 1/2" Fabric B rectangles, (1) 1 1/2" x 10 1/2" Fabric B rectangle and (1) 7 1/2" x 5 1/2" Fabric H rectangle to form the bottom of the Apron Block.

10. Sew together as shown. Once complete, the unit should measure 10 1/2" x 13 1/2" unfinished.




11. Draw a diagonal line on the wrong side of (2) 2 1/2" Fabric H squares and (2) 1 1/2" Fabric A squares.

12. Place (1) 2 1/2" Fabric H square onto the top right corner of (1) 3" x 2 1/2" Fabric A rectangle, RST. The orientation of the Fabric A rectangle is noted in the diagram.

13. Repeat SNF techniques to attach the Fabric H square to the top right corner.

14. Then, using the same techniques, attach (1) 1 1/2" Fabric A square to the same corner.

15. Repeat to create a mirror image unit in which SNF techniques are completed on the top left corner as shown in the diagram.





GRILL MASTER

16. Arrange the SNF unit created in Steps 12-14 with (1) 3" x 3 1/2" Fabric A rectangle, (1) 1" x 6 1/2" Fabric A rectangle, (1) 1 1/2" x 6 1/2" Fabric A rectangle, (1) 3" x 9 1/2" Fabric A rectangle and (1) 1 1/2" x 6 1/2" Fabric H rectangle to form the left side of the Apron Block.

17. Sew together as shown, pressing seams toward Fabric A and away from the SNF unit. Once complete, the unit should measure 3" x 20 1/2" unfinished.

18. Repeat to create a mirror image unit for the right side of the Apron Block.

19. Arrange all units created in the above steps as shown. Sew together, pressing seams toward the top of the Apron and away from side units. Once complete, the Apron Block should measure 15 1/2" x 20 1/2" unfinished.



20. Repeat Apron Block assembly instructions to create (1) Fabric C/I Apron Block, (1) Fabric D/J Apron Block, (1) Fabric E/K Apron Block, (1) Fabric F/L Apron Block and (1) Fabric G/M Apron Block.






Fabrics C/I

Fabrics D/J

Fabrics E/K

Fabrics F/L


Fabrics G/M




GRILL MASTER

Spatula Block Assembly:


21. Sew (1) 1 1/2" x WOF Fabric P strip to either side of (1) 3 1/2" x WOF Fabric A strip to create a strip set. Press toward Fabric P. The strip set should measure 5 1/2" x WOF unfinished.
22. Repeat to create an additional strip set using (2) 1 1/2" x 16" Fabric P strips and (1) 3 1/2" x 16" Fabric A strip. The partial strip set should measure 5 1/2" x 16" unfinished.
23. From both strip sets, subcut a total of (36) 1 1/2" x 5 1/2" units.



24. Arrange (3) subcut units and (4) 1 1/2" x 5 1/2" Fabric P rectangles to form the top of the spatula. Sew together as shown, pressing away from the subcut units.
25. Repeat to create (12) units measuring 7 1/2" x 5 1/2" unfinished.




26. Draw a diagonal line on the wrong side of (24) 1 1/2" Fabric A squares.
27. Place (1) 1 1/2" Fabric A square onto either top corner of each unit created in Steps 24-25, RST. Note the orientation of the drawn diagonal lines.
28. Repeat SNF techniques to attach Fabric A squares to either top corner as shown.




GRILL MASTER

29. Draw a diagonal line on the wrong side of (12) 3 1/2" Fabric A squares.
30. Place (1) 3 1/2" Fabric A square onto either bottom corner of (12) 3 1/2" x 7 1/2" Fabric P rectangles, RST.
31. Repeat SNF techniques to attach Fabric A squares to either bottom corner as shown.




32. Arrange (1) of each unit created in the above steps for the Spatula Blocks, (1) 1 1/2" x 7 1/2" Fabric Q rectangle, (1) 2 1/2" x 5 1/2" Fabric R rectangle, (2) 3" x 5 1/2" Fabric A rectangles and (2) 3 1/2" x 7 1/2" Fabric A rectangles to form a spatula unit. Reference diagrams for fabric and size placement.
33. Sew together as shown. Once complete, the spatula unit should measure 7 1/2" x 20 1/2" unfinished.



34. Arrange (2) spatula units and (1) 1 1/2" x 20 1/2" Fabric A strip to form a Spatula Block. Note that the right most spatula unit is turned upside down.
35. Sew together as shown, pressing seams toward the Fabric A strip. Once complete, the Spatula Block should measure 15 1/2" x 20 1/2" unfinished.
36. Repeat to create (6) identical Spatula Blocks.




GRILL MASTER



Quilt Assembly:


37. Arrange Apron and Spatula Blocks in a 4 x 3 grid, alternating between block types. Place (1) 2" x 20 ½" Fabric A strip vertically in between each block. Place (4) 2" x 15 ½" Fabric A strips and (3) 2" Fabric N squares horizontally between each block row to form sashing rows.
38. Sew block rows together, pressing seams toward the Fabric A strips. Block rows should measure 20 ½" x 65" unfinished.
39. Sew sashing rows together, pressing seams toward the Fabric A strips. Sashing rows should measure 2" x 65" unfinished.
40. Sew block and sashing rows together, using pins to help align and nestle seams. Press toward the sashing rows. Once complete, the quilt top center should measure 65" x 63 ½" unfinished.

GRILL MASTER



41. Sew (1) 1 1/2" x 63 1/2" Fabric A Side Border strip to either side of the quilt top center. Press outward. Then, sew (1) 1 1/2" x 67" Fabric A Top/Bottom Border strip to the top and bottom of the quilt top center. Press outward. The quilt top should measure 67" x 65 1/2" unfinished at this step.
42. Sew (1) 1 1/2" x 65 1/2" Fabric N Side Border strip to either side of the quilt top center. Press outward. Then, sew (1) 1 1/2" x 69" Fabric N Top/Bottom Border strip to the top and bottom of the quilt top center. Press outward. The quilt top should measure 69" x 67 1/2" unfinished at this step.
43. Sew (1) 5 1/2" x 69" Fabric O Top/Bottom Border strip to the top and bottom of the quilt top center. Press outward to complete assembly. The quilt top should measure 69" x 77 1/2" unfinished.

GRILL MASTER



Finishing the Quilt:

44. Sandwich the quilt top with batting and backing. Baste quilt layers together using your preferred method.
45. Quilt as desired.
46. Bind quilt using (8) 2 1/4" x WOF Fabric R strips.