FABRIC REQUIREMENTS



DC4278 Multi **Strawberry Panel** 1 Panel



K1005 Krystal 1/4 yard



CX1065 Red Garden Pindot 9" x 6" pc



CM0376 Snow **Fairy Frost** 6" x 4" pc



CX2490 Avocado **Dumb Dot** 5/8 yard



K4151 Krystal 9" x 6" pc

Date: Mar.11.10 Strawberry Fairy



Skill Level: Confident Beginner



118 West 22nd Street 5th Floor New York, NY 10011 Tel: 212.704.0774 Fax: 212. 633. 0272 email: info@michaelmillerfabrics.com

K1156

Krystal

1/2 yard

"Strawberry Fairy"

Panel Quilt by Marinda Stewart

Size: Approximately 37"W x 47"H - Skill Level: Confident Beginner

Materials

Fabric	Yardage	Cutting
DC4278 Multi Strawberry Panel	(1) Panel *	23 1/4" x 42 1/2"
CX2490 Avocado Dumb Dot	5/8 yard	(1) 3" x 42 1/2" (1) 2 3/4" x 42 1/2" (1) 3" x 28 1/2" (1) 3 1/2" x 28 1/2" (2) 2 3/4" x 9 1/2" (5) 2" x 6 1/2" (1) 3 1/2" x 43"
K1156 Krystal	1/2 yard	(5) 2 1/2" x W.O.F binding (12) Leaves
K1005 Krystal	1/4 yard	(6) 7" squares
K4151 Krystal	9" x 6" pc	(12) Leaves
CX1065 Red Garden Pindot	9" x 6" pc	(12) Strawberries
CM0376 Snow Fairy Frost	6" x 4" pc	(6) Flowers

^{*}Cutting between panels will give less than 1/4" seam allowance. Work with what's available. It can't be helped.

Additional Materials: 44" x 51" Backing, 44" x 51" Batting, Threads to match, Fusible Web, Hand-sewing needle, Small amount of fiberfill stuffing, Straight Pins, Scissors, Acrylic Ruler, Rotary Cutter, Mat is optional but recommeded, tear-away stabilizer, and water soluble pen for drawing details.

Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs, and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements, and construction directions; this does not allow personal variations in measuring, cutting, and or sewing. The enclosed directions were used in the construction of the original quilt.

Directions

- 1. Sew (1) CX2490 3" x 42 1/2" piece to the left side of the DC4278 Panel. Sew (1) CX2490 2 3/4" x 42 1/2" piece to the right side of the panel. Sew one CX2490 3" x 28 1/2" piece to the top of the panel. Sew one CX2490 3 1/2" x 28 1/2" piece to the bottom of the panel. Set aside.
- 2. Trace (6) flowers and (24) leaves onto the paper side of fusible web. Cut out leaving a small margin around each. Following manufacturers directions, iron (6) flowers onto CM0376, (12) leaves onto K4151, and (12) leaves onto K1156. Cut out.
- 3. Arrange (1) flower, (2) K4151 leaves, and (2) K1156 leaves as shown on one 7" K1005 square. Fuse in place. Draw in stems and veins. Machine applique flower and leaves in place. Satin stitch each stem. Add calyx leaves using decorative leaf stitch on sewing machine. Free-motion stitch the center of the flower. Repeat for (6) blocks total. NOTE: Back each block with tear-away stablizer before stitching. This improves the finished quality of the block and eliminates distortion. Trim each block to 6 1/2" square.
- 4. For strawberries: trace (12) onto the wrong side of CX1065. Cut out. With a threaded hand-sewing needle, gather each tightly between the dots. Knot off. Place (2) strawberries on one block as shown. Pin in place. Machine applique around raw edges-leaving a 1" opening. LIGHTLY stuff strawberry without distorting the background fabric. Machine applique closed.

- 5. Beginning and ending with a 6 1/2" block, sew blocks together in a vertical row alternating with $2" \times 6 1/2"$ K1156 pieces.
- 6. Sew one K1156 3 1/2" x 43" piece to the right side of the block strip. Sew one K1156 2 3/4" x 9 1/2" piece to the top and bottom of the strips.
- 7. Sew the strip to the right side of the panel unit.
- 8. Layer backing, batting, and quilt top. Baste.
- 9. Quilt as desired. Be careful around dimensional strawberries.
- 10. Bind with K1156 piecing as needed for length.

