

BON APPÉTIT - TABLE RUNNER



Size: 20" x 48"



Designed by Marinda Stewart
Skill Level: Beginner



118 West 22nd Street 5th Floor New York, NY 10011
Tel: 212.704.0774 Fax: 212. 633. 0272 email: info@michaelmillerfabrics.com

www.michaelmillerfabrics.com

FABRIC REQUIREMENTS



**DC5501 Flax
Home Cooked
1 3/8 yards**



**DC5728 Brick
Good Dot
Fat 1/4**



**DC5500 Flax
Le Grand Cafe
1 1/2 yards**



**CJ4816 Black
Painter's Canvas
3/8 yard**

Batting 22" x 50"

"Bon Appetit Table Runner"

Designed by Marinda Stewart

Size: Approximately 20" x 48" Skill Level : Beginner

Materials

| Fabric | Yardage | Cutting |
|---|-------------|---|
| * DC5501 Flax Home Cooked | 1 3/8 yards | (1) 12 3/8" W x 46" L (1) 8 3/4" x 46" |
| DC5728 Brick Good Dot | Fat 1/4 | (2) 1 1/2" x 20" |
| DC5500 Flax Le Grand Cafe | 1 1/2 yards | (1) 22" W x 50" L (Backing) |
| CJ4816 Black Painter's Canvas | 3/8 yard | (5) 2 1/2" x W.O.F. (Binding) |
| * This is pieced to have motifs face right and left. If desired one 20" x 46" may be cut without piecing. | | |
| Also Needed: 22" x 50" batting, threads to match, scissors, straight pins, acrylic ruler, rotary cutter, and mat. | | |

Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs, and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements, and construction directions; this does not allow personal variations in measuring, cutting, and or sewing. The enclosed directions were used in the construction of the original quilt.

Directions

1. Piece DC5501 12 3/8" W x 46" L and DC5501 8 3/4" W x 46" pieces together reversing the direction of the motifs as shown. (If using an unpieced strip - move to step #2).
2. Sew DC5728 1 1/2" strip to end of the DC5501 pieces.
3. Layer DC5500 22" x 50" backing, batting, and runner top. Baste.
4. Quilt as desired. Trim away excess backing and batting.
5. Bind runner using CJ4816 2 1/2" strips pieced as needed for length.