
RINGS OF COLOR



FABRIC REQUIREMENTS

AVAILABLE BATIK-RAINBOW BRIGHTS PRE-CUTS:

SQUARE019 - (42) - 10" X 10" SQUARES (12/CASE) CHARM034 - (42) - 5" X 5" SQUARES (24/CASE) ROLL022 - (40) - 2 1/2" X 44" STRIPS (6/CASE) FQ071 - (20) - FAT QUARTER BUNDLE (3/CASE)



SQUAREO19 PRE-CUTS: (10"x10") 1 PACK



ROLLO22 PRE-CUTS: (2 1/2" X WOF STRIPS) 1 PACK

PACKS INCLUDE THE BELOW PRINTS:



BT6393_RAINBOW







BT6166_SORBET

BT6380_PAPRIKA





BT6372_SUNSHINE



BT6392_YELLOW



BT6375_YELLOW



BT6375_MANGO









BT6392_CALYPSO



BT6382_MANGO

BT6375_JADE



BT6374_MANGO

BT6380_CALYPSO



BT6369_MERMAID

BT6378_MUSTARD



BT6073_AMETHYST



BT6385_CALYPSO

michae miller FABRICS p. 212.704.0774 | f. 212.633.0272 | info@michaelmillerfabrics.com | www.michaelmillerfabrics.com

BT6384_CALYPSO

RINGS OF COLOR

SIZE: Approximately 52" X 68" NOTE: Our design used a matching SQUARE019 and ROLL022

CUTTING INSTRUCTIONS

PLEASE NOTE: All strips are cut across the width of fabric (WOF) from selvage to selvage edge.

	FABRIC	YARDAGE	CUTTING
square	SQUARE019 (12/CASE)	1 PACK= (42) 10'' SQUARES	FROM 10" SQUARES: _Cut a total of (96) 4 7/8" squares from assorted colors.
ROLL	ROLL021 (12/CASE)	1 PACKS= (40) 2 1/2 X WOF STRIPS	FROM 2 1/2" STRIPS: _Cut a total of (512) 2 1/2" squares from assorted colors.
BINDING	YOUR CHOICE	1 YARD	_Cut seven 2 1/2" x WOF strips. Sew the strips together and cut two 2 1/2" x 64 1/2" strips and two 2 1/2" x 52 1/2" strips. _Cut six 2 1/2" x WOF strips for the binding.
Backing	YOUR CHOICE	3 1/2 YARD	_Cut two 60" x WOF strips. Piece the strips together and trim to make the 60" x 76" pieced backing.

YOU WILL ALSO NEED: 60" x 76" batting, threads to match, scissors, straight pins, acrylic ruler, rotary cutter and mat.

michae miller f ABRICS p. 212.704.0774 | f. 212.633.0272 | info@michaelmillerfabrics.com | www.michaelmillerfabrics.com



michael miller FABRICS p. 212.704.0774 | f. 212.633.0272 | info@michaelmillerfabrics.com | www.michaelmillerfabrics.com

Disclaimers


This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.


Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements and construction directions; this does not allow personal variations in measuring, cutting or sewing. The enclosed directions were used in the construction of the original quilt.

Quilt Assembly

- Select four 2 ½" squares for each 4-patch block, you will need ninety-six sets. Sew each set into a 4-patch block (Fig. 1).
- 2. Pair up two 4 ⁷/₈" squares for half-square triangle blocks. You will need forty-eight sets total.
- Place one 4 ⁷/₈" square on top of another 4 ⁷/₈" square, right sides together. Draw a line across the diagonal of the top square (Fig. 2). Sew ¹/₄" away from each side of the drawn diagonal line (Fig. 2).
- 4. Cut the two squares apart on the drawn diagonal line (Fig. 3) to make two half-square triangles (Fig. 4). Trim blocks to measure 4 ½" square.
- 5. Repeat Steps 3-4 with the remaining sets of 4 ⁷/₆" squares to make a total of ninety-six half-square triangle blocks total.
- Follow Figure 5 to sew together eight 4-patch squares and eight half-square triangle squares to make one 16 ¹/₂" square. Repeat to make twelve 16 ¹/₂" squares total







Quilt Top Assembly

- 7. Sew the blocks into four rows with three blocks in each row.
- 8. Sew the rows together to make the quilt top.
- 9. Sew one 2 ½" x 64 ½" border stripe to each side of the quilt top. Sew one 2 ½" x 52 ½" border strip to the top and bottom of the quilt top.
- 10. Layer and quilt as desired.
- 11. Sew the six 2 ¹/₂" x WOF strips together, end-to-end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press
- 12. Bind as desired.