
HERE KITTY KITTY



FABRIC REQUIREMENTS




PC6747 Aqua / Cats and Dots 2 1/8 yards

PC6747 Gray / Cats and Dots 1 3/8 yards

PC6747 White / Cats and Dots 1 1/2 yards



PC6749 Coral Losing Face 3/8 yard




CX5456 Black Paw Prints 1/4 yard




PC6748 Aqua Dapper Cats 1/8 yard




CX6552 Red Cool Cats 1/8 yard



CX6552 Black Cool Cats 1/8 yard



CX5456 Ebony Paw Prints 1/6 yard



PC6749 White Losing Face 1/6 yard



SC5333 Black Cotton Couture 8" x 10" piece



SC5333 Flower Cotton Couture 2" x 3" piece

"Here Kitty, Kitty"

Quilt by Marinda Stewart

Size: 40" x 56" - Skill Level: Confident Beginner

Materials

Fabric	Fabric Name	Cutting
PC6747 Gray Cats and Dots	1 3/8 yards	(1) 10 1/2" × 20 1/2" * (2) 3 1/2" × 18 1/2" (1) 10 1/2" × 26 1/2" *
PC6747 Aqua Cats and Dots	2 1/8 yards	(1) 10 1/2" x 25 1/2" * (1) 10 1/2" x 16 1/2" * (1) 10 1/2" x 13 1/2" * (1) 10 1/2" x 16 1/2" **
PC6747 White Cats and Dots	1 1/2 yards	(1) 10 1/2" x 23 1/2" ** (1) 10 1/2 x 29 1/2" *
PC6749 Coral Losing Face	3/8 yard	(5) 2 1/2" x W.O.F binding
CX5456 Black Paw Prints	1/4 yard	(4) 1 1/2" x 10 1/2" (2) 1 1/2" x 18 1/2" (2) 1 1/2" x 36 1/2"
PC6748 Aqua Dapper Cats	1/8 yard	(2) 3 1/2" x 18 1/2"
CX6552 Red Cool Cats	1/8 yard	(2) 2 1/2" x 18 1/2"
CX6552 Black Cool Cats	1/8 yard	(2) 2 1/2" x 18 1/2"
CX5456 Ebony Paw Prints	1/6 yard	(2) 2 1/2" x 18 1/2" (2) 2" x 18 1/2"
PC6749 White Losing Face	1/6 yard	(2) 4" x 18 1/2"
SC5333 Black Cotton Couture	8" x 10" piece	(1) Cat Head (see pattern)
SC5333 Flower Cotton Couture	2" x 3" piece	(2) ears (see pattern) (1) nose (see pattern)

Also Needed: 45" x 60" backing, 45" x 60" batting, thread to match (including black, pink, and white), scissors, straight pins, rotary cutter, acrylic ruler, fusible web, iron-on tear-away stabilizer, chalk pencil, and mat.

NOTE: There will be extra fabric leftover from the border prints. It can be pieced for the quilt backing or saved for another project.

^{*} Cut 1/4" from top edge of loop motif. Measure 10 1/2" from cut top edge across the border motif to cut. Refer to photo.

^{**} Cut 1/4 from bottom edge of loop motif. Measure 10 1/2" from cut bottom edge across the border motif to cut. Refer to photo.

Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs, and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements, and construction directions; this does not allow personal variations in measuring, cutting, and or sewing. The enclosed directions were used in the construction of the original quilt.

Directions:

From the top sew together in the following order. The 18 1/2" long strips: CX6552 Red - 2 1/2", CX5456 Ebony - 2", PC6748 - 3 1/2", PC6749 White - 4", PC6747 Gray - 3 1/2", CX5456 Ebony - 2 1/2", CX6552 2 1/2", CX5456 Ebony - 2", PC6748 - 3 1/2", CX6552 Red - 2 1/2", PC6749 White - 4", CX6552 Black - 2 1/2", CX5456 Ebony - 2 1/2", and PC6747 Gray - 3 1/2" to make an 18 1/2" x 34 1/2" piece.

Sew one CX5456 Black 1 1/2" x 18 1/2" piece to the top and bottom of the panel. Sew one CX5456 Black 1 1/2" x 36 1/2" piece to each side. Set aside.

Trace cut head, nose, and ears onto the paper side of the fusible web. Rough Cut out. Following manufacturers directions iron cat head onto the wrong side of SC5333 Black. Iron nose and ears onto the wrong side of SC5333 Flower. Cut out all pieces. Remove paper backing from ears and nose. Iron into place on the cat head as shown. Machine applique in place. Transfer whisker, eyes, mouth, and other markings onto the right side of the cat face. Machine satin stitch in white to finish. Remove paper backing. Iron cat head onto the pieced panel as shown (or as desired). Machine applique in place. Set aside.

For the left side border - Sew one CX5456 Black 1 $1/2" \times 10 \ 1/2"$ strip to the right side of PC6747 Aqua 10 $1/2" \times 25 \ 1/2"$ piece. Sew one PC6747 Gray 10 $1/2" \times 20 \ 1/2"$ piece to the other side of the CX5456 Black strip. Align edge of PC6747 White with the top edge of the pieced panel. Sew border panel to the pieced panel to within 1/4" of the bottom edge. The PC6747 Gray border will extend beyond the edge for 10 1/2". This will be finished later.

For the top border - sew one CX5456 Black 1 1/2" x 10 1/2" strip to the right side of one PC6747 Aqua 10 1/2" x 16 1/2" piece. Sew one PC6747 White 10 1/2" x 23 1/2 piece to the right side of the CX5456 Black strip. Align the left side of the panel with the top edge of the quilt. Sew border panel onto the top of the pieced panel to within 1/4" of the right side edge. The PC6747 White border will extend beyond the edge for 10 1/2". This will be finished later.

For the right side border - Sew one CX5456 Black 1 $1/2" \times 10 \ 1/2"$ strip to the right side of one PC6747 White 10 $1/2" \times 29 \ 1/2"$ piece. Sew one PC6747 Aqua 10 $1/2" \times 16 \ 1/2"$ piece to the right side of the CX5456 Black strip. Align the edge of the PC6747 Aqua end of the border panel with the bottom edge of the pieced strip. Sew border panel to within 1/4 " of the top right corner of the pieced panel. The PC6747 White border panel will extend 10 1/2" beyond the edge. To finish the upper right corner, miter the 10 1/2" extended fabric pieces from the top border and the right border as shown. Trim excess fabric from the back.

For the bottom border sew one CX5456 1 $1/2" \times 10~1/2"$ piece to the right side of PC6749 Gray 10 $1/2" \times 26~1/2"$. Sew one PC6747 Aqua 10 $1/2" \times 13~1/2"$ piece to the right side of CX5456 Black. Align the right side of the border panel with the edge of the right border panel. Sew in place to with 1/4" of the left side edge of the pieced panel. To finish the lower left corner, miter the 10 1/2" extended fabric pieces from the left border and bottom border as shown. Trim excess as in step #6. Quilt top should measure 40 $1/2" \times 56~1/2"$.

Layer backing, batting, and quilt top. Baste.

Quilt as desired.

Bind quilt using CX6749 Coral 2 1/2" strips pieced as needed for length.



& Marine 62014