

SUZETTE STRIPE



SIZE: 94" X 92" | QUILT DESIGNED BY HEIDI PRIDEMORE

FABRIC REQUIREMENTS

8 1/2 YARDS BACKING



CX6972 Denim
Suzette Stripe
8 1/4 yards



CJ4816 Terracotta
Painter's Canvas
8 1/2 yards



CX6970 Red
Sweetie
7/8 yard includes Binding

"Suzette - Quilt #3"

Quilt by Heidi Pridemore

Size: Approximately 94" x 92" Skill Level: Advanced Beginner

Materials

Cutting instructions

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

	Fabric	Yardage	Cutting
(A)	CX6972-Denim Suzette Stripe-Denim	8 ¼ yards	• Cut three 96" x WOF strips.
(B)	CX6970-Red Sweetie-Red	⅞ yard	• Cut ten 2 ½" x WOF strips for the binding.
Backing	CX6973-Red Nanette-Red	8 ½ yards	• Cut three 100" x WOF strips. Piece the strips together and trim to make the 102" x 100" pieced backing.

You will also need:

- 102" x 100" batting, threads to match, scissors, straight pins, acrylic ruler, rotary cutter and mat.

Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements and construction directions; this does not allow personal variations in measuring, cutting or sewing. The enclosed directions were used in the construction of the original quilt.

Quilt Top Assembly

(Follow the Quilt Photo while assembling the quilt top.)

1. Refer to the quilt photo and trim the 96" x WOF Fabric A strips as needed to create the same row layout.
2. Sew the three Fabric A strips together to create the quilt top. Trim to measure 94 ½" x 92 ½"
3. Layer and quilt as desired.
4. Sew the ten 2 ½" x WOF Fabric B strips together, end-to-end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press
5. Bind as desired.