


ARROW FLIGHT

From the Arrow Flight Collection
September 2015



michae|miller FABRICS SIZE: 62" W X 86" H | QUILT BY JESSEE MALONEY | LEVEL: INTERMEDIATE

FABRIC REQUIREMENTS



PC6988_MIDNITE
CORNERED
1/2 YARD



MC6990_GOLD
ARROWS
1/2 YARD




MC6990_FUSCHIA
ARROWS
1/2 YARD



MC6990_MIDNITE
ARROWS
4 3/4 YARDS



MC6990_GRAPE
ARROWS
1/2 YARD



MC6990_LUNA
ARROWS
1/2 YARD



MC6990_COIN
ARROWS
4 YARDS (BACKING)



MC6986_MIDNITE
PLUCKED
1/2 YARD



MC6987_FUSCHIA
OFFLINE
1/2 YARD

"Pastel Arrows Flight"

Quilt by Jesse Maloney

Size: 62" W x 86" H

Materials

Fabric	Yardage	Miscellaneous
MC6990-Midnite Arrows	4 3/4 yards	4 3/4 yards of background fabric 1/2 yard each for Arrows 1 - 6 1/2 yard for binding 4 yards for the backing
MC6990-Gold Arrows	1/2 yard	
MC6987-Fuchsia Offline	1/2 yard	
PC6988-Midnite Cornered	1/2 yard	
MC6986-Midnite Plucked	1/2 yard	
MC6990-Fuchsia Arrows	1/2 yard	
MC6990-Grape Arrows	1/2 yard	
MC6990-Luna Arrows	1/2 yard	
MC6990-Coin Arrows	4 yards	
<p>Other Supplies:</p> <p>A large quilting ruler with 45 degree markings</p> <p>Coordinating thread</p> <p>Twin sized batting</p> <p>Letter paper and printer for paper piecing template</p>		

Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs, and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements, and construction directions; this does not allow personal variations in measuring, cutting, and or sewing. The enclosed directions were used in the construction of the original quilt.

Let's Get Started!

1. Cut out the following pieces for the blocks from the fabrics.

Background Fabric:

- A - 22.5" x 44.75"
- B - 4.5" x 44.75"
- D - 4.5" x 48.75"
- E - 12.5" x 14.5"
- F - 12.5" x 16"
- G - 4.5" x 63.25"
- I - 4.5" x 71.25"
- J - 4.5" x 52"
- L - 4.5" x 60"
- M - 12.5" x 39.25"
- N - 12.5" x 32"
- O - 4.5" x 59"
- Q - 4.5" x 51"
- R - 4.5" x 57.25"
- T - 4.5" x 49.25"
- U - 12.5" x 14"
- V - 4.5" x 30.25"
- X - 4.5" x 22.25"
- Y - 12.5" x 16.75"
- Z - 14.5" x 28.5"
- 7" squares, cut diagonally in half, Quantity: 6

Arrow #1:

- C - 4.5" x 44.75"
- 6.5" x 12.5"

Arrow #2:

- H - 4.5" x 67.25"
- 6.5" x 12.5"

Arrow #3:

- K - 4.5" x 56"
- 6.5" x 12.5"

Arrow #4:

- P - 4.5" x 55"
- 6.5" x 12.5"

Arrow #5:

- S - 4.5" x 53.25"
- 6.5" x 12.5"

Arrow #6:

- W - 4.5" x 26.25"
- 6.5" x 12.5"

2. Using the included paper piecing template, assemble all of the arrow heads where the chosen arrow fabric is in the large triangle, and the background fabric is in the smaller triangles on each side. If you are using directional prints, like in the example, please be aware of the fabric placement on those corner pieces. A 1/4" seam allowance has been included on the template. Place all the arrowheads aside for now.

3. Using the included assembly diagram (A), and a 1/4" seam allowance, start assembling the strips that will form the arrow bodies. Keep in mind which sides will all be lined up, and which sides will be staggered. An example would be the first row where all the strips line up on the right, but are staggered to the left (B) Each row should be a similar "sandwich" of background fabric, arrow fabric and background fabric again. Repeat this step for each arrow body.



4. Next take all the arrow bodies and start attaching the corresponding arrow heads, making sure to follow the diagram again (A). Then attach the larger blocks in front of each arrow head. (C)


5. Now here is where we take simple straight assembly and turn it into something that looks way more interesting! You will notice on the assembly diagram (A) some measurements staggered here and there on the left. These are to show where you place each row on top of one another. An example would be Arrow #1's longest edge would need to be placed 12" to the right of Arrow #2's top left corner. Then Arrow #2 would be 4" to the right of Arrow #3's top left corner. Continue using the diagram to assemble all of the rows, along with the top and bottom rectangles.


6. Once you have all of the rows pieced, take your ruler with 45 degree markings and line the arrows up with the 45 degree line and trim away all the extra fabric using the inside corners of all the strips as a guide. Cut line is shown as a dotted line in the assembly diagram (A).

7. Now you are ready to sandwich, quilt it and bind it however you feel comfortable! The example quilt was long arm quilted and bound using 2.25" strips fabric and sewn in to 1/4" binding that was hand stitched to the back.


8. Cuddle up with the quilt and savor all the work that you put into it OR gift it to someone awesome!







(A)



Background Fabric:

- A - 22.5"x44.75"
- B - 4.5"x44.75"
- D - 4.5"x48.75"
- E - 12.5"x14.5"
- F - 12.5"x16"
- G - 4.5"x63.25"
- I - 4.5"x71.25"
- J - 4.5"x52"
- L - 4.5"x60"
- M - 12.5"x39.25"
- N - 12.5"x32"
- O - 4.5"x59"
- Q - 4.5"x51"
- R - 4.5"x57.25"
- T - 4.5"x49.25"
- U - 12.5"x14"
- V - 4.5"x30.25"
- X - 4.5"x22.25"
- Y - 12.5"x16.75"
- Z - 14.5"x28.5"

7" squares, cut diagonally in half, Qty 6