BED OF ROSES



FABRIC REQUIREMENTS

- 45" X 65" FOR BOTH BACKING AND BATTING -



CX7141 Rose Cabbage Rose Border 3/4 yard



CX6886 White Forget Me Not 1/4 yard




CX7143 Rose Bed of Roses 1/4 yard



CX7143 Sapphire Bed of Roses 3/8 yard



CX6899 Red Ava 3/8 yard



CX7145 Rose Little Birds 3/8 yard



CX7144 Leaf Lily of the Valley 5/8 yard



CX7144 Opal Lily of the Valley 5/8 yard



CX7144 Sapphire Lily of the Valley 3/4 yard



CX7146 Sapphire Briar Path 1/4 yard

Bed of Roses

Quilt by Marinda Stewart

Size: 42" W x 62" H

Skill Level: Confident Beginner

Fabrics	Yardage	Cutting
CX7141Rose	3/4 yard	(24) 6 ½" squares *
Cabbage Rose Border		
CX6886 White	1/4 yard	(27) 2 ½" x 4 ½"
Forget Me Not		
CX7143 Rose	1/4 yard	(27) 2 ½" x 4 ½"
Bed of Roses		
CX7143 Sapphire	3/8 yard	(15) 4 ½" squares
Bed of Roses		
CX6899 Red	3/8 yard	(30) 2 ½" x 4 ½"
Ava		
CX7145 Rose	3/8 yard	(30) 2 ½" x 4 ½"
Little Birds		
CX7144 Leaf	5/8 yard	(120) 2 ½" squares
Lily of the Valley		
CX7144 Opal	5/8 yard	(108) 2 ½" squares
Lily of the Valley		
CX7144 Sapphire	3/4 yard	(2) 2 ½" x 42 ½"
Lily of the Valley		(2) 2 ½" x 58 ½" **
		(5) 2 ½" x W.O.F.
CX7146 Sapphire	1/4 yard	(2) 1 ½" x 38 ½"
Briar Patch		(2) 1 ½" x 56 ½" **

ALSO NEEDED: 45" x 65" backing, 45" x 65" batting, thread to match, scissors, straight pins, acrylic ruler, rotary cutter, and mat.

DIRECTIONS:

1. To make one flying geese unit – place one $2\,\%$ " square right sides together on top of the left end of one $2\,\%$ " x $4\,\%$ " piece. Sew diagonally from the lower left corner to the upper right corner. Repeat for the other side sewing from the upper left corner to the lower right corner. Trim excess fabric from the back of each corner. Make (54) using CX7144 Leaf $2\,\%$ " squares and CX6886 $2\,\%$ " x $4\,\%$ " pieces

^{*} Keep squares in sequence of density of pattern from top to bottom as shown.

** Pieced for length

- and CX7143 Rose 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " pieces. Sew together (3) assorted flying geese to make (18) units. Repeat using CX7144 Opal 2 $\frac{1}{2}$ " squares with CX7145 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " pieces and CX6899 2 $\frac{1}{2}$ " x 4 $\frac{1}{2}$ " pieces. Make (20) 3-piece flying geese units.
- 2. Row #1, 3, 5, 7, 9, and 11 begin and end with CX7141 6 ½" squares alternating with (3) green flying geese units. On rows 3, 7, and 11 reverse the direction of the flying geese units as shown. With each row increase the density of the border print from top to bottom as shown.
- 3. Row #2, 4, 6, 8, and 10 begin and end with a lavender flying geese unit alternating with a CX7143 Sapphire 4 $\frac{1}{2}$ " square. Alternate the direction of the flying geese across each row as shown.
- 4. Assemble quilt keeping the rows in order as shown to make one piece 36 $\frac{1}{2}$ x 56 $\frac{1}{2}$ ".
- 5. Sew one CX7146 1 $\frac{1}{2}$ " x 56 $\frac{1}{2}$ " piece (pieced for length) to each side. Sew one CX7146 1 $\frac{1}{2}$ " x 38 $\frac{1}{2}$ " piece to the top and bottom.
- 6. Sew one CX7144 Sapphire 2 $\frac{1}{2}$ " x 58 $\frac{1}{2}$ " piece (pieced for length) to each side. Sew one CX7144 Sapphire 2 $\frac{1}{2}$ " x 42 $\frac{1}{2}$ " piece to the top and bottom.
- 7. Layer backing, batting, and quilt top. Baste.
- 8. Quilt as desired.
- 9. Bind quilt using CX7144 Sapphire 2 ½" strips pieced as needed for length.