


TOOLS OF THE TRADE







FABRIC REQUIREMENTS



CX7489-Red 1 ¼ yards (Border)



CX7491-Blue % yard (Sashing & Binding)



CX7492-Green ½ yard (Applique)



CX7490-Primary ½ yard (Applique)



CX7489-Yellow 3/8 yard (Block)



CX7492-Orange ½ yard (Applique)



SC5333-Haze ½ yard (Applique)



SC5333-Cherry 1/4 yard (Applique)



SC5333-Stream 1/8 yard (Applique)



SC5333-Yellow 1/8 yard (Applique)



SC5333-Apricot 1/8 yard (Applique)



SC5333-Kiwi 1/2 yard (Applique)



CX7490-Green 3 yards (Backing)

SKU

(A) CX7489-Red
(B) CX7491-Blue
C) CX7492-Green
(D) CX7490-Primary
(E) CX7489-Yellow
(F) CX7492-Orange
G) SC5333-Haze
(H) SC5333-Cherry
(I) SC5333-Stream
(J) SC5333-Yellow
(K) SC5333-Apricot

(Back) CX7490-Green
TOTAL BOLTS NEEDED

(L) SC5333-Kiwi

of bolts for 12 Kits

1 bolt (15 yards)
1 bolt (10 ½ yards)
1 bolt (6 yards)
1 bolt (3 yards)
1 bolt (1 ½ yards)
3 bolts (36 yards)

of bolts for 24 Kits
2 bolt (30 yards)
2 bolts (21 yards)
1 bolt (12 yards)
1 bolt (12 yards)
1 bolt (9 yards)
1 bolt (12 yards)
1 bolt (12 yards)
1 bolt (12 yards)
1 bolt (6 yards)
1 bolt (3 yards)

5 bolts (72 yards)
19 Bolts (14 w/o Back)

While every effort has been made to make sure these are accurate yardages, please note that these are only estimates until the final pattern is completed and edited. Thank you.

15 Bolts (12 w/o Back)

"Tools of the Trade"

Quilt by Heidi Pridemore

Size: Approximately 40" x 47" Skill Level: Advanced Beginner

Materials

Cutting instructions

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

	Fabric	Yardage	Cutting
(A)	CX7489-Red Tool Board – Red	1 ¼ yards	 Cut two 4 ½" x 40 ½" LOF strips. Cut two 4 ½" x 39 ½" WOF strips from the remaining fabric, piece as needed.
(B)	CX7491-Blue Rulers – Blue	⅓ yard	 Cut one 1 ½" x WOF strip. Sub-cut the strip into two 1 ½" x 12 ½" strips and one 1 ½" x 10 ½" strip. Cut one 1 ½" x WOF strip. Sub-cut the strip into two 1 ½" x 13 ½" strips. Cut two 1 ½" x 24 ½" WOF strips. Cut one 1 ½" x 19 ½" strip. Cut three 1 ½" x 32 ½" strips. Cut five 2 ½" x WOF strips for the binding.
(C)	CX7492-Green Wood Grain – Green	½ yard	• Cut one 12 ½" x 30 ½" strip.
(D)	CX7490-Primary Tossed Wrenches – Primary	½ yard	• Cut one 11 ½" x 24 ½" strip. • Cut one 7 ½" x 13 ½" strip.
(E)	CX7489-Yellow Tool Board – Yellow	⅓ yard	• Cut one 10 ½" x 18 ½" strip.
(F)	CX7492-Orange Wood Grain – Orange	½ yard	• Cut one 13 ½" x 10 ½" strip.
(G)	SC5333-Haze Cotton Couture – Haze	½ yard	 See instructions to cut two plier tops and two nuts. See instructions to cut two flat head screwdrivers. See instructions to cut three phillips head screwdrivers. See instructions to cut one wrench head. See instructions to cut one saw blade. See instructions to cut one hammer head and hammer shaft.
(H)	SC5333-Cherry Cotton Couture – Cherry	¼ yard	 See instructions to cut two plier handles. See instructions to cut one saw handle. See instruction to cut one screwdriver handle.
(1)	SC5333-Stream Cotton Couture – Stream	⅓ yard	See instructions to cut two screwdriver handles.
(J)	SC5333-Yellow Cotton Couture – Yellow	⅓ yard	 See instructions to cut five screwdriver handle insert sets. See instructions to cut one hammer handle.
(K)	SC5333-Apricot Cotton Couture – Apricot	⅓ yard	See instructions to cut one wrench handle.
(L)	SC5333-Kiwi Cotton Couture – Kiwi	⅓ yard	See instructions to cut two screwdriver handles.
Back	ing CX7490-Green Tossed Wrenches – Green	2 ¾ yards	• Cut two 48" x WOF strips. Piece the strips together and trim to make the 48" x 55" pieced backing.

You will also need:

• 48" x 55" batting, fusible web, threads to match, scissors, straight pins, acrylic ruler, rotary cutter and mat.

Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements and construction directions; this does not allow personal variations in measuring, cutting or sewing. The enclosed directions were used in the construction of the original quilt.

Quilt Top Assembly

(Follow Figure 1 and the Quilt Layout while assembling the quilt top.)

- 1. Sew one 1 ½" x 12 ½" Fabric B strip to each side of one 30 ½" x 12 ½" Fabric C strip. Sew one 1 ½" x 32 ½" Fabric B strip to the top and to the bottom of the Fabric C strip to make C block.
- 2. Sew one 1 ½" x 24 ½" Fabric B strip to each side of one 11 ½" x 24 ½" Fabric D strip to make one D block.
- 3. Sew one 1 ½" x 10 ½" Fabric B strip to the right side of one 18 ½" x 10 ½" Fabric E strip. Sew one 1 ½" x 19 ½" Fabric B strip to the bottom of the Fabric E strip to make one E block.
- 4. Sew one 1 ½" x 13 ½" Fabric B strip to each side of one 7 ½" x 13 ½" Fabric D strip. Sew one 10 ½" x 13 ½" Fabric F strip to the left side of the new strip to make one FD block.
- 5. Sew four blocks together as shown in Figure 1 to make the Center Block.
- 6. Sew one 1 ½" x 32 ½" Fabric B strip to the bottom of the Center Block.
- 7. Sew one 4 ½" x 39 ½" Fabric A strip to each side of the Center Block. Sew one 4 ½" x 40 ½" Fabric A strip to the top and to the bottom of the Center Block.





Fig. 1

- 8. Following the manufacturer's instructions, trace the listed number of each template onto the paper side of the fusible web. Roughly cut out each template about 1/8" outside the drawn lines.
- 9. Press each template onto the wrong side of the fabrics as listed on the templates. Cut out each template on the drawn lines.
- 10. Refer to the quilt layout to arrange and press the various tool components onto the designated blocks.
- 11. Finish the raw edges of each shape with a decorative stitch such as a buttonhole or satin stitch to make the quilt top.
- 12. Layer and quilt as desired.
- 13. Sew the five
 2 ½" x WOF
 Fabric B strips
 together, endto-end with
 45-degree
 seams, to make
 the binding. Fold
 this long strip
 in half
 lengthwise with
 wrong sides
 together and
 press
- 14. Bind as desired.



Quilt Layout

