


michael miller FABRICS

GOOD KNIGHT Quilt

Size: 65"W x 77"H | Designed by: Heidi Pridemore | Level: Intermediate



FREE PATTERN AVAILABLE ON MICHAELMILLERFABRICS.COM



Fabric Requirements

Backing & Batting: 73" x 85"



CX7901-Steel
1/3 yard



CX7900-Retro
1/3 yard




CX7900-Midnite
2 yards



CX7902-Steel
1/3 yard



CX7902-Scarlet
1/2 yard



CX7902-Sunset
1/4 yard



CX7902-Isle
1/3 yard



CX7902-Moss
1/3 yard



CX7903-Midnite
1/3 yard



CX7903-Retro
1/3 yard




CX7903-Royal
1/4 yard




CX7903-Steel
1/8 yard




CX7903-Aqua
1/8 yard



SC5333-Apricot
1 1/3 yards



SC5333-Orange
1/4 yard



SC5333-Yellow
1/3 yard



SC5333-Indigo
1/4 yard



SC5333-Asparagus
1/4 yard



SC5333-Metal
1/8 yard



SC5333-Nickel
2 3/4 yards



CX7900-Retro
4 3/4 yards (Backing)

"Good Knight"

Quilt by Heidi Pridemore

Size: Approximately 65" x 77" Skill Level: Intermediate

Materials

Cutting instructions

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

	Fabric	Yardage	Cutting
(A)	CX7901-Steel Castles in the Air – Steel	1/3 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into three 5 1/2" x 10 1/2" strips. • Cut one 2" strip from the remaining fabric and sub-cut nine 2" x 1 1/2" strips.
(B)	CX7900-Retro Good Knight – Retro	1/3 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into two 5 1/2" x 10 1/2" strips. • Cut one 2" strip from the remaining fabric and sub-cut six 2" x 1 1/2" strips.
(C)	CX7900-Midnite Good Knight – Midnite	2 yards	<ul style="list-style-type: none"> • Cut two 5 1/2" x 67 1/2" length of fabric (LOF) strips. • Cut two 5 1/2" x 65 1/2" WOF strips from the remaining fabric, piece as needed. • Cut two 10 1/2" x 5 1/2" LOF strips from the remaining fabric.
(D)	CX7902-Steel Magic Dragon – Steel	1/3 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into two 5 1/2" x 10 1/2" strips.
(E)	CX7902-Scarlet Magic Dragon – Scarlet	1/2 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into six 5 1/2" x 10 1/2" strips. • Cut one 2" x WOF strip. Sub-cut nine 2" x 1 1/2" strips. • Cut one 1 1/2" x WOF strip. Sub-cut nine 1 1/2" squares. • See instructions to cut six flags.
(F)	CX7902-Sunset Magic Dragon – Sunset	1/4 yard	<ul style="list-style-type: none"> • Cut one 5 1/2" x WOF strip. Sub-cut the strip into two 5 1/2" squares. • Cut one 2" strip from the remaining fabric and sub-cut six 2" x 1 1/2" strips.
(G)	CX7902-Isle Magic Dragon – Isle	1/3 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into three 5 1/2" x 10 1/2" strips.
(H)	CX7902-Moss Magic Dragon – Moss	1/3 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into two 5 1/2" x 10 1/2" strips.
(I)	CX7903-Midnite Banner – Midnite	1/3 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into five 5 1/2" x 10 1/2" strips. • Cut one 2" strip from the remaining fabric and sub-cut six 2" x 1 1/2" strips.
(J)	CX7903-Retro Banner Day – Retro	1/3 yard	<ul style="list-style-type: none"> • Cut one 10 1/2" x WOF strip. Sub-cut strip into three 5 1/2" x 10 1/2" strips.
(K)	CX7903-Royal Banner Day – Royal	1/4 yard	<ul style="list-style-type: none"> • Cut one 4 1/2" x WOF strip. Sub-cut strip into three 4 1/2" x 5 1/2" squares. • Cut one 1 1/2" x WOF strip. Sub-cut nine 1 1/2" squares. • See instructions to cut five flags from the remaining fabric.
(L)	CX7903-Steel Banner Day – Steel	1/8 yard	<ul style="list-style-type: none"> • See instructions to cut two flags.
(M)	CX7903-Aqua Banner Day – Aqua	1/8 yard	<ul style="list-style-type: none"> • See instructions to cut two flags.
(N)	SC5333-Apricot Cotton Couture – Apricot	1 1/3 yards	<ul style="list-style-type: none"> • Cut eight Template 2 triangles, using the template provided. • Cut four 1 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut two 1 1/2" x 65 1/2" strips. • Cut three 1 1/2" x WOF strips. Sew the strips together end to end with diagonal seams and cut two 1 1/2" x 55 1/2" strips. • See instructions to cut four large windows. • Cut eight 2 1/2" x WOF strips for the binding.
(O)	SC5333-Orange Cotton Couture – Orange	1/4 yard	<ul style="list-style-type: none"> • Cut two Template 2 triangles, using the template provided. • See instructions to cut twelve large windows.
(P)	SC5333-Yellow Cotton Couture – Yellow	1/3 yard	<ul style="list-style-type: none"> • Cut five Template 2 triangles, using the template provided. • See instructions to cut thirteen large windows. • See instructions to cut eighteen small windows.

Materials - Continued

Cutting instructions

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge unless otherwise noted.

	Fabric	Yardage	Cutting
(Q)	SC5333-Indigo Cotton Couture – Indigo	¼ yard	<ul style="list-style-type: none"> • See instructions to cut twelve large windows. • See instructions to cut four small windows.
(R)	SC5333-Asparagus Cotton Couture – Asparagus	¼ yard	<ul style="list-style-type: none"> • See instructions to cut seven large windows. • See instructions to cut fourteen small windows.
(S)	SC5333-Metal Cotton Couture – Metal	⅛ yard	<ul style="list-style-type: none"> • See instructions to cut fifteen flag poles.
(T)	SC5333-Nickel Cotton Couture – Nickel	2 ¾ yards	<ul style="list-style-type: none"> • Cut fifteen Template 1 triangles, using the template provided. • Cut fifteen Template 3 triangles, using the template provided. • Cut seven 5 ½" x WOF strips. Sub-cut strips into forty-four 5 ½" squares. • Cut three 5 ½" x WOF strips. Sub-cut ten 5 ½" x 9" strips, three 2 ½" x 5 ½" strips, three 1 ½" x 5 ½" strips and (12) 1 ½" squares. • Cut two 5 ½" x WOF strips. Sub-cut strips into two 5 ½" x 12 ½" strips and two 5 ½" x 11" strips. • Cut one 2" x WOF strip. Sub-cut strip into twenty-four 1 ½" x 2" strips. • Cut four 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut two 2" x 62 ½" strips. • Cut three 2" x WOF strips. Sew the strips together end to end with diagonal seams and cut two 2" x 53 ½" strips.
Backing	CX7900-Retro Good Knight – Retro	4 ¾ yards	<ul style="list-style-type: none"> • Cut two 85" x WOF strips. Piece the strips together and trim to make the 73" x 85" pieced backing.

You will also need:

- 73" x 85" batting, threads to match, scissors, straight pins, acrylic ruler, rotary cutter and mat.

Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements and construction directions; this does not allow personal variations in measuring, cutting or sewing. The enclosed directions were used in the construction of the original quilt.

Block Assembly

- Place one Fabric T-Template 1 triangle on top of one Fabric N-Template 2 triangle, right sides together, aligning the left sides (Fig. 1). Sew the two triangles together along the left side. Press the smaller triangle open.
- Place one Fabric T-Template 3 triangle on top of the Fabric N-Template 2 triangle, right sides together, aligning the right sides (Fig. 2). Sew the two triangles together along the right side. Press the smaller triangle open. Trim the block to measure 5 ½" square to make one Unit 1 block (Fig. 3).
- Repeat Steps 1-2 to make eight Unit 1 blocks total.




Fig. 1




Fig. 2






Fig. 3


4. Repeat Steps 1-2 using five Fabric T-Template 1 triangles, five Fabric P-Template 2 triangles and five Fabric T-Template 3 triangles to make five 5 1/2" Unit 2 blocks (Fig. 4).



5. Repeat Steps 1-2 using two Fabric T-Template 1 triangles, two Fabric O-Template 2 triangles and two Fabric T-Template 3 triangles to make two 5 1/2" Unit 3 blocks (Fig. 5).



6. Place one 5 1/2" Fabric T square on the lower half of one 5 1/2" x 10 1/2" Fabric I strip, right sides together (Fig. 6). Sew across the diagonal of the square from the upper right corner to the lower left corner (Fig. 7). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make one Unit 4 strip (Fig. 7). Repeat to make three Unit 4 strips total.



7. Sew one Unit 1 block to the top of one Unit 4 strip to make castle block. Repeat to make three castle blocks total.

8. Following the manufacturer's instructions, trace the listed number of each template onto the paper side of the fusible web. Roughly cut out each template about 1/8" outside the drawn lines.







9. Press each template onto the wrong side of the fabrics as listed on the templates. Cut out each template on the drawn lines.

10. Refer to Figure 8 to arrange and press two large Fabric O windows onto the castle block.

11. Finish the raw edges of each shape with a decorative stitch such as a buttonhole or satin stitch to make one Block One rectangle.

12. Repeat Steps 10-11 to make three Block One rectangles total.


13. Repeat Steps 6-7 and 10-11 and use Figures 9 through 13 for fabric identification, location and seam direction to make the designated number of blocks.



14. Place one 5 1/2" Fabric T square on the lower half of one 5 1/2" x 10 1/2" Fabric E strip, right sides together. Sew across the diagonal of the square from the upper right corner to the lower left corner. Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to make one Unit 5 strip (Fig. 14). Repeat to make six Unit 5 strips total.







15. Sew three 1 1/2" x 2" Fabric E strips and two 1 1/2" x 2" Fabric T strips together lengthwise, alternating them, to make one Unit 6 strip (Fig. 15). Repeat to make three Unit 6 strips total.



16. Sew one Unit 6 strip to the top of one Unit 5 strip to make one Unit 6/5 block. Repeat to make three Unit 6/5 blocks total.

17. Repeat Steps 10-11 and refer to Figure 16 to add two small Fabric P windows and one large Fabric P window to one Unit 6/5 block to make one Block Seven rectangle. Repeat to make three Block Seven rectangles total. *Note: The other three Unit 5 blocks will be used later.*



18. Repeat Steps 14-17 and use Figures 17-19 for fabric identification, location and seam direction to make the designated number of blocks.



19. Sew three 1 1/2" Fabric E squares and two 1 1/2" Fabric T squares together, alternating them, to make one Unit 7 strip (Fig. 20). Repeat to make three Unit 7 strips total.

20. Sew one Unit 7 strip to the top of one Unit 5 block to make one Block Eleven rectangle (Fig. 21). Repeat to make three Block Eleven rectangles total.


21. Repeat Steps 10-11 and use Figure 21 to arrange and press two small Fabric P windows and one large Fabric P window onto one Block Eleven rectangle. Repeat to make three Block Eleven rectangles total.



22. Sew three 1 ½" Fabric K squares and two 1 ½" Fabric T squares together, alternating them, to make one Unit 8 strip (Fig. 22). Repeat to make three Unit 8 strips total.

23. Sew one Unit 8 strip to the top of one 4 ½" x 5 ½" Fabric K strip to make one K-block (Fig. 23). Repeat to make three K-blocks total.

Block Twelve
make 3



24. Repeat Steps 10-11 and use Figure 23 to arrange and press two small Fabric R windows and one large Fabric R window onto one K-block to make one Block Twelve square. Repeat to make three Block Twelve squares total.

Unit 8
make 3




Fig. 22




Fig. 23

25. Sew three 1 ½" x 2" Fabric F strips and two 1 ½" x 2" Fabric T strips together lengthwise, alternating them, to make one Unit 9 strip (Fig. 24). Repeat to make two Unit 9 strips total.

26. Sew one Unit 9 strip to the top of one 5 ½" Fabric F square to make one F-block (Fig. 25). Repeat to make two F blocks total.

Block Thirteen
make 2

27. Repeat Steps 10-11 and use Figure 25 to arrange and press two small Fabric Q windows and one large Fabric Q window onto one F-block to make one Block Thirteen rectangle. Repeat to make two Block Thirteen rectangles total.

Unit 9
make 2




Fig. 24






Fig. 25

Quilt Top Assembly

(Follow the Quilt Layout while assembling the quilt top.)

28. Follow Figure 26 on Page 8 and sew the various Fabric T components, one Block One rectangle, one Block Two rectangle, one Block Seven rectangle, one Block Eleven rectangle, one Block Eight rectangle, one Block Three rectangle and one Block Twelve square together to make Column One. Repeat Steps 11-12 to add the three flags to the column. Repeat to make three Column Ones total.

29. Follow Figure 27 on Page 8 and sew the two Fabric T strips, one Fabric T square, one Block Four rectangle, one Block Five rectangle and one Block Thirteen rectangle together to make one Column Two. Repeat Steps 11-12 to add the one flag to the column. Repeat to make a second Column Two.

30. Follow Figure 28 on Page 8 and sew the two Fabric T strips, one Fabric T square, one Block Nine rectangle, one Block Ten rectangle and one Block Six rectangle together to make one Column Three. Repeat Steps 11-12 to add the two flags to the column. Repeat to make a second Column Three.

31. Sew one Column One, one Column Two, one Column Three, one Column One, one Column Two, one Column Three and one Column One together lengthwise and in that order to make the Center Block.

32. Sew one 2" x 62 ½" Fabric T strip to each side of the Center Block. Sew one 2" x 53 ½" Fabric T strip to the top and to the bottom of the Center Block.

33. Sew one 1 ½" x 65 ½" Fabric N strip to each side of the Center Block. Sew one 1 ½" x 55 ½" Fabric N strip to the top and to the bottom of the Center Block.

34. Sew one 5 ½" x 67 ½" Fabric C strip to each side of the Center Block. Sew one 5 ½" x 65 ½" Fabric C strip to the top and to the bottom of the Center Block to make the quilt top.

35. Layer and quilt as desired.
36. Sew the eight 2 1/2" x WOF Fabric N strips together, end-to-end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
37. Bind as desired.




Fig. 26




Fig. 27






Fig. 28




Quilt Layout




Flag Pole
Trace 15
Fabric S




Flag
Trace 15
(6) Fabric E
(5) Fabric K
(2) Fabric L
(2) Fabric M




Large
Window
Trace 48
(4) Fabric N
(12) Fabric O
(13) Fabric P
(12) Fabric Q
(7) Fabric R



Small
Window
Trace 36
(18) Fabric P
(14) Fabric R
(4) Fabric Q



1" square
for scale



1" square
for scale