


# Minky Kashmir Mint Quilt

SIZE : 58" x 58"



michael miller FABRICS

**- Free Store Model with Purchase as Shown on Cover -**

Get a Free Store Model 58" x 58" strip quilt featuring Kashmir Mint with an order of a casepack (the entire collection is 8 skus). All bolt sizes are 12 yards.

Free Store Display - use style #GWP0020



RS7583 White  
Rosebud Snuggle



RS7583 Gray  
Rosebud Snuggle



SMD7581 Mint  
Minky Dots



SMS7580 Mint  
Slinky Minky



SMS7580 Gray  
Slinky Minky



SMZ7706 Mint  
Kashmir Floral



SMZ7707 Mint  
Kashmir Paisley



VS7584 Mint  
Velvet Snuggle

**Kashmir Mint Strip Quilt      58" x 58"**

*Yardages based on fabric 58"-60" wide.*

Fabric A	RS7583-White	Rosebud Snuggle-White	1/3 yard
Fabric B	SMD7581-Mint	Minky Dots-Mint	3/4 yard
Fabric C	SMS7580-Mint*	Slinky Minky-Mint	1/3 yard
Fabric D	SMZ7706-Mint	Kashmir Floral-Mint	1/3 yard
Fabric E	SMZ7707-Mint	Kashmir Paisley-Mint	7/8 yard
Back	Your Choice		1-3/4 yards

\*includes Binding

Cutting:

Fabric A, cut:

- (3) 3 ½" x width of fabric (WOF) strips.

Fabric B, cut:

- (1) 10" x WOF strip.
- (3) 3 ½" x WOF strips.

Fabric C, cut:

- (5) 2" x WOF strips for binding

Fabric D, cut:

- (1) 10" x WOF strip.

Fabric E, cut:

- (2) 10" x WOF strips.
- (2) 3 ½" x WOF strips.

Backing, cut:

- (1) 60" x 60"

**You will also need:**

60x60 backing

58x58 batting (if desired)

Spray adhesive (505)

Flower head pins

### **Sewing and Basic Technique for Sewing Strip Quilts:**

This quilt is sewn using the flip and sew method. Each strip is sewn on the foundation of the quilt, sewing through all layers, backing and batting. This means the quilt is quilted when you are done!

1. Lay the backing fabric on a flat surface. Place the batting centered exactly on top of the batting. Spray fusible adhesive to hold batting to backing fabric.
2. Smooth out all wrinkles. Fold in half keeping the 60" wide horizontal. Mark the center of the backing and batting piece.
3. You will start with the forth strip for this version. Lay the forth strip on the batting, aligning the top edge with the marked line on the batting. Use spray adhesive to secure in place.
4. Choose your next strip and pin in place with right sides together, lining up the raw edges along one horizontal side. Use a 1/2" seam allowance to attach the strips to the batting and backing. You will be sewing through the strip you pinned, the center strip, the batting and the backing.
5. Smooth the strip right side up and spray to secure in place. Repeat step 4 on the other side of the middle strip.
6. Continue to sew strips alternating sides working from the middle. Repeat pinning and sewing until all strips are sewn. Baste the outer edge down before you attach binding. Trim all edges to even up.
7. Bind with 2" strips sewn together.

