

# Minky Lil' Cowpokes Quilt

SIZE : 58" x 58"




**- Free Store Model with Purchase as Shown on Cover-**

Get a Free Store Model 58" x 58" strip quilt featuring Lil' Cowpokes with an order of a casepack (the entire collection is 8 skus). All bolt sizes are 12 yards.

**Free Store Display - use style #GWP0008**




**SMS7580 College Blue  
Slinky Minky**



**SMS7580 Sky  
Slinky Minky**



**SMS7580 Dark Chocolate  
Slinky Minky**



**SMS7580 Ivory  
Slinky Minky**



**SMP0248 Denim  
Lil' Cowpokes**



**SMP0290 Red  
Horseshoe**



**SMP1589 Blue  
Bandana Ditsy**



**SMP1704 Brown  
Pony Skin**

## Lil' Cowpoke Strip Quilt 58" x 58"

*Yardages based on fabric 58"-60" wide.*

Fabric A	SMP0248-Denim	Lil' Cowpoke-Denim	2/3 yard
Fabric B	SMS7580-Dark Chocolate	Slinky Minky-Dark Chocolate	2/3 yard
Fabric C	SMS7580-Collage Blue	Slinky Minky-Collage Blue	1/4 yard
Fabric D	SMS7580-Sky	Slinky Minky-Sky	1/4 yard
Fabric E	SMP1704-Brown	Pony Skin-Brown	1/4 yard
Fabric F	SMP1589-Blue	Bandana Ditsy-Blue	1/4 yard
Fabric G	SMS7580-Ivory	Slinky Minky-Ivory	1/4 yard
Fabric H	SMP0290-Red*	Horseshoe-Red	3/8 yard
Back	Your Choice		1-3/4 yards

\*includes Binding

### **Cutting:**

Fabric A, cut:

- (1) 21" x width of fabric (WOF) strip.

Fabric B, cut:

- (2) 10" x WOF strips.

Fabric C, cut:

- (2) 3 1/2" x WOF strip.

Fabric D, cut:

- (1) 3 1/2" x WOF strip.

Fabric E, cut:

- (2) 3 1/2" x WOF strips.

Fabric F, cut:

- (2) 3 1/2" x WOF strips.

Fabric G, cut:

- (1) 3 1/2" x WOF strip.

Fabric H, cut:

- (5) 2" x WOF strips for binding

Backing, cut:

- (1) 60" x 60"

**You will also need:**

- 60x60 backing
- 58x58 batting (if desired)
- Spray adhesive (505)
- Flower head pins

**Sewing and Basic Technique for Sewing Strip Quilts:**

This quilt is sewn using the flip and sew method. Each strip is sewn on the foundation of the quilt, sewing through all layers, backing and batting. This means the quilt is quilted when you are done!

1. Lay the backing fabric on a flat surface. Place the batting centered exactly on top of the backing. Spray fusible adhesive to hold batting to backing fabric.
2. Smooth out all wrinkles. Fold in half keeping the 60" wide horizontal. Mark the center of the backing and batting piece.
3. You will start with the third strip for this version. Lay the third strip on the batting, aligning the top edge with the marked line on the batting. Use spray adhesive to secure in place.
4. Choose your next strip and pin in place with right sides together, lining up the raw edges along one horizontal side. Use a 1/2" seam allowance to attach the strips to the batting and backing. You will be sewing through the strip you pinned, the center strip, the batting and the backing.
5. Smooth the strip right side up and spray to secure in place. Repeat step 4 on the other side of the middle strip.
6. Continue to sew strips alternating sides working from the middle. Repeat pinning and sewing until all strips are sewn. Baste the outer edge down before you attach binding. Trim all edges to even up.
7. Bind with 2" strips sewn together.

