

MINKY

SUZANI WHEEL B *Strip Quilt*

SIZE : 58" x 58"



Free Pattern available at michaelmillerfabrics.com

michael miller FABRICS


- Free Store Model with Purchase as Shown on Cover -

Get a Free Store Model 58" x 58" strip quilt featuring Suzani Wheel B with an order of a casepack (the entire collection is 9 skus). All bolt sizes are 12 yards.


Free Store Display - use style #GWP0081




SMZ8151 CREAM
SUZANI WHEELS



SMZ8152 CREAM
SUZANI FLEUR



SMZ8153 CREAM
SUZANI STRIPE



HS7585 SILVER
HERRINGBONE SNUGGLE



RS7583 LAVENDER
ROSEBUD SNUGGLE



SMS7580 SEASIDE
SILKY MINKY SOLID



SMS7580 LAVENDER
SILKY MINKY SOLID



SMS7580 PEACH
SILKY MINKY SOLID



SMS7580 STRAW
SILKY MINKY SOLID

Suzani Wheel B Strip Quilt**58" x 58"***Yardages based on fabric 58"-60" wide.*

Fabric A	SMZ8151-Cream	Suzani Wheels	1 yard
Fabric B	RS7583-Lavender	Rosebud Snuggle	1/3 yard
Fabric C	SMS7580-Seaside	Silky Minky Solid	1/8 yard
Fabric D	SMZ8152-Cream	Suzani Fleur	1/2 yard
Fabric E	SMS7580-Straw	Silky Minky Solid	1/8 yard
Fabric F	SMS7580-Peach	Silky Minky Solid	1/8 yard
Fabric G	SMS7580-Lavender	Silky Minky Solid	1/8 yard
Backing	HS7585-Silver	Herringbone Snuggle	1-3/4 yards
Binding	SMZ8153-Cream	Suzani Stripe	1/3 yard

Cutting:**Fabric A, cut:**

- (1) 20" x width of fabric (WOF) strip
- (1) 10 1/2" x WOF strips

Fabric B, cut:

- (1) 10 1/2" x WOF strips

Fabric C, cut:

- (1) 3 1/2" x WOF strips

Fabric D, cut:

- (4) 3 1/2" x WOF strips

Fabric E, cut:

- (1) 3 1/2" x WOF strips

Fabric F, cut:

- (1) 3 1/2" x WOF strips

Fabric G, cut:

- (1) 3 1/2" x WOF strips

Backing, cut:

- (1) 60" x 60" for backing

Binding, cut:

- 5) 2" x WOF strips for the binding

You will also need:

- 60x60 backing
- 58x58 batting (if desired)
- Spray adhesive (505)
- Flower head pins
- Walking Foot (recommended)

Sewing and Basic Technique for Sewing Strip Quilts:

This quilt is sewn using the flip and sew method. Each strip is sewn on the foundation of the quilt, sewing through all layers, backing and batting. This means the quilt is quilted when you are done!

1. Lay the backing fabric on a flat surface. Place the batting centered exactly on top of the backing. Spray fusible adhesive to hold batting to backing fabric.
2. Smooth out all wrinkles. Fold in half keeping the 60" wide horizontal. Mark the center of the backing and batting piece.
3. You will start with the third strip for this version. Lay the third strip on the batting, aligning the top edge with the marked line on the batting. Use spray adhesive to secure in place.
4. Choose your next strip and pin in place with right sides together, lining up the raw edges along one horizontal side. Use a 1/2" seam allowance to attach the strips to the batting and backing. You will be sewing through the strip you pinned, the center strip, the batting and the backing.
5. Smooth the strip right side up and spray to secure in place. Repeat step 4 on the other side of the middle strip.
6. Continue to sew strips alternating sides working from the middle. Repeat pinning and sewing until all strips are sewn. Baste the outer edge down before you attach binding. Trim all edges to even up.
7. Bind with 2" strips sewn together.

