

SIZE: 58"W x 75"H • LEVEL: BEGINNER • PATTERN BY: NATALIE CRABTREE • ALTELIER MULTI PATTERN AVAILABLE ON: WWW.MICHAELMILLERFABRICS.COM








FABRIC A
Cotton Couture
SC\_5333 Dusk
1 1/4 Yards (includes binding)



FABRIC B
Cotton Couture
SC\_5333 Green Tea
1 1/8 yard



FABRIC C DC8789 Spotted Pink 3/4 yard




FABRIC D DC8789 Spotted Stone 1 1/8 yard



FABRIC E DC8789 Spotted Orange 3/8 yard



FABRIC F DC8790 Rhythms Gray 3/4 yard




FABRIC G DC8687 Party Pumpkin 1/2 yard



FABRIC H DC8685 Paper Fans Pewter 1/2 yard



FABRIC I DC8683 Pallete Pumpkin 1/2 yard



FABRIC J DC8684 Wind Flowers Olive 1/2 yard



## Additional supplies needed:

Backing: 3 ¾ yards giving you 3" additional inches on each side

Batting: 64" x 81" piece of batting giving you 3 inches overage on each side

Basic Sewing Supplies, Fusible Web of your choice


(HST = Half Square Triangle, QST = Quarter Square Triangle)

KEY	CUTTING INTRUCTIONS
Template	<ul> <li>(Pattern includes instructions for raw edge applique. Therefore, the printed size of the template is the finished size of the applique patch.)</li> <li>Template A is printed across (2) pages. Cut out each section of Template A. Align the black printed lines and tape together using household tape. Cut out Template B on the black line.</li> </ul>
Fusible Web	<ul> <li>Trace (12) Template A onto the smooth side of fusible web. Cut out each template just outside of the traced line. Fabric instructions indicate which fabrics to fuse each template to.</li> <li>Trace (6) Template B onto the smooth side of fusible web. Cut out each template just outside of the traced line. Fabric instructions indicate which fabrics to fuse each template to.</li> </ul>
Fabric A	<ul> <li>Cut (7) 1 ½" x WOF strips for Border 1.</li> <li>Cut (2) 12 ½" x WOF strips. Subcut (6) 12 ½" squares.</li> </ul>
Fabric B	<ul> <li>Cut (8) 2 ¼" x WOF strips for binding.</li> <li>Cut (2) 12 ½" x WOF strips. Subcut (6) 12 ½" squares.</li> </ul>
Fabric C	<ul> <li>Cut (2) 18 ¼" x WOF strips. Subcut (3) 18 ¼" squares; cut each square twice diagonally to create (12) QST for setting triangles. (Two QST will be unused)</li> <li>From the remainder of the second strip, subcut (2) 9 ½" squares; cut each square once diagonally to create (4) HST for corner triangles.</li> <li>With remaining yardage, use an iron to fuse (3) Template B onto the wrong side of fabric. Cut out each template on the traced line and set aside.</li> </ul>
Fabric D	• Cut (2) 12 ½" x WOF strips. Subcut (6) 12 ½" squares.
Fabric E	Cut (10) 3" x LOF strips for Border 2. (LOF strips keep the striped fabric running perpendicular to the quilt top when completed.)
Fabric F	Use an iron to fuse (3) Template A onto the wrong side of fabric. Cut out each template on the traced line and set aside.
Fabric G	• Use an iron to fuse (3) Template A onto the wrong side of fabric. Cut out each template on the traced line and set aside.
Fabric H	Use an iron to fuse (3) Template A onto the wrong side of fabric. Cut out each template on the traced line and set aside.
Fabric I	Use an iron to fuse (3) Template A onto the wrong side of fabric. Cut out each template on the traced line and set aside.
Fabric J	Use an iron to fuse (3) Template B onto the wrong side of fabric. Cut out each template on the traced line and set aside.



#### **Piecing Instructions**


- 1. Peel the paper from the glue side of all fusible Template A pieces.
- 2. Center the Template A pieces onto the 12 ½" background fabric squares as shown.
- 3. Use an iron to fuse the fabric templates onto the right side of the 12 ½" background fabric squares. Use the following guide to pair fusible fabric templates with the correct 12 ½" square background fabric piece.
  - a. (1) Fabric A 12 1/2" square + (1) Fabric F Template A
  - b. (2) Fabric A 12 1/2" squares + (2) Fabric G Template A
  - c. (2) Fabric A 12 1/2" squares + (2) Fabric H Template A
  - d. (1) Fabric A 12 1/2" square + (1) Fabric I Template A
  - e. (2) Fabric D 12 1/2" squares + (2) Fabric F Template A
  - f. (1) Fabric D 12 ½" square + (1) Fabric G Template A
  - g. (1) Fabric D 12 1/2" square + (1) Fabric H Template A
  - h. (2) Fabric D 12 1/2" squares + (2) Fabric I Template A




- 4. Peel the paper from the glue side of all fusible Template B pieces.
- 5. Center the Template B pieces onto the 12 ½" background fabric squares as shown. (Please note: Template B pieces are oriented differently on the background fabric squares than Template A. Ensure that they are oriented correctly before fusing.)
- 6. Use an iron to fuse the fabric templates onto the right side of the 12  $\frac{1}{2}$ " background fabric squares. Use the following guide to pair fusible fabric templates with the correct 12  $\frac{1}{2}$ " square background fabric piece.




- a. (3) Fabric B 12 1/2" squares + (3) Fabric C Template B
- b. (3) Fabric B 12 ½" squares + (3) Fabric J Template B





7. Using a decorative stitch and thread color of your choice, stitch around each applique template to secure it into place on the background fabric squares as shown.



- 8. Repeat stitching on all blocks using Templates A and B.
- 9. There should be a total of (12) blocks using Template A, and (6) Blocks using Template B. All blocks should measure 12 ½" x 12 ½" unfinished.

## **Quilt Assembly**

- 10. The quilt is assembled using a diagonal setting. Lay out the blocks according to the quilt layout diagram. Use (10) Fabric C 18 ¼" QST for setting triangles around the perimeter of the quilt. Use (4) Fabric C 9 ½" HST for the corners of the quilt.
- 11. Once you have confirmed that the quilt layout is correct, sew the quilt together in diagonal rows, alternating the direction in which you press the seams in each row.





- 12. Sew together the diagonal rows to complete the quilt top center.
- 13. Create Border 1 by sewing (7) Fabric A 1  $\frac{1}{2}$ " x WOF strips together end to end using a diagonal seam. Trim seams to  $\frac{1}{4}$ " and press.
- 14. From the long strip, trim (2) strips to 1  $\frac{1}{2}$ " x 68  $\frac{1}{2}$ " for the side borders. Trim (2) additional strips to 1  $\frac{1}{2}$ " x 53  $\frac{1}{2}$ " for the top/bottom borders.
- 15. Create Border 2 by sewing (10) Fabric E 3"  $\times$  LOF strips together end to end using a straight  $\frac{1}{4}$ " seam.
- 16. From the long strip, trim (2) strips to  $3'' \times 70 \frac{1}{2}''$  for the side borders. Trim (2) additional strips to  $3'' \times 58 \frac{1}{2}''$  for the top/bottom borders.
- 17. Attach Border 1 to the quilt top center, sewing the side borders on first followed by the top/bottom borders. Press seams toward borders.
- 18. Attach Border 2 to the quilt top center, sewing the side borders on first followed by the top/bottom borders. Press seams toward borders.





- 19. Sandwich quilt with batting and backing. Baste quilt layers together using your preferred method. Quilt as desired.
- 20. Create binding by sewing (8) Fabric B 2  $\frac{1}{4}$ " x WOF strips together end to end using a diagonal seam. Trim seams to  $\frac{1}{4}$ " and press open.
- 21. Use an iron to press the long strip in half widthwise with wrong sides together to create a long thin strip.
- 22. Attach binding using your preferred method.

# City Garden Applique Templates by Natalie Crabtree 1 inch Template B

(Templates are designed to be used for raw edge applique, therefore the printed template size is the finished size of the applique patch.)

