


michael miller FABRICS

HONEY BUNNY

SIZE: 42" X 50" • LEVEL: CONFIDENT BEGINNER • PATTERN BY: SUSAN EMORY • FABRIC COLLECTION: HONEY BUNNY



Kit#0220



Quilt: 42" x 50"



Pillow
12" x 12"



Wall Hangings
12" x 12"

PLEASE NOTE: BEFORE BEGINNING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES
AT MICHAELMILLERFABRICS.COM'S FREE PROJECTS SECTION.

p.212.704.0774 | info@michaelmillerfabrics.com | www.michaelmillerfabrics.com



8 40087 29017 4



HONEY BUNNY



FABRIC A
DDC9086 White
1 Panel



FABRIC B
DC9087 Aqua
Fat Quarter



FABRIC C
DC9087 White
Fat Quarter



FABRIC D
DC088 Green
Fat Quarter



FABRIC E
DC9088 Yellow
Fat Quarter



FABRIC F
DC9092 White
Fat Quarter



FABRIC G
DC9093 Green
Fat Quarter



FABRIC H
DC9094 Aqua
Fat Quarter



FABRIC I
DC9094 Yellow
Fat Quarter



FABRIC J
DC9092 Aqua
1 yard



FABRIC K
DC9087 Yellow
1/2 yard
(binding)



BACKING (Minky)
SMD7581 Mango Yellow
1-1/3 yards

FUSIBLE WEB:
Approximately 1/2 yard

OPTIONAL WALL HANGING & PILLOWS:

Wall Hanging Fabric Requirements:

- (2) 12-1/2" squares from panel
- 1/2 yard backing fabric
- 1/4 yard binding fabric
- (2) 14" squares of batting

Pillow Fabric Requirements:

- (1) 12-1/2" square from panel
- 1/2 yard backing fabric
- (1) 12" pillow form



HONEY BUNNY


WOF = Width of Fabric Selvage to Selvage

Fat Quarter = 18" x 20"-22"

LOFQ = Length of Fat Quarter (20"-22")


KEY	CUTTING INSTRUCTIONS
A	PANEL: Set aside for appliqué.
B-I	(10) 1-1/2" x LOFQ strips from each Fat Quarter (see diagram below).
J	(5) 5-1/2" x WOF strips for borders.
K	(5) 2-1/2" x WOF strips for binding.

Fat Quarter Cutting:



PIECING:



Choose (4) 1-1/2" FQ strips at random and sew together into a strip set. Press strips in either direction. Cross-cut into (4) 4-1/2" x 4-1/2" segments. Repeat with remaining 1-1/2" strips, in random groups, for a total of (20) strip sets and (80) 4-1/2" squares.



ASSEMBLY:

Arrange 4-1/2" pieced blocks with (8) across and (10) down. Rotate every other block by 90 degrees. Sew blocks into rows, pressing each row in the opposite direction as the previous row. Sew rows together and press to complete quilt center.

Trim selvages from (5) 5-1/2" Fabric J border strips. Sew strips together end to end and press seams. Cut (2) 5-1/2" x 40-1/2" borders and sew to sides of quilt center. Press toward borders. Cut (2) 5-1/2" x 42-1/2" borders and sew to top and bottom of quilt center. Press toward borders to complete quilt center.



APPLIQUÉ:

Note: These instructions are for machine appliqué. Make necessary adjustments if you prefer hand appliqué.

Preparing the bunny appliqué: Cut the bunny from the panel at least 1/2" from the outside edge of the printed bunny figure. This can be a rough cut.

Optional: Spray bunny with sizing or starch and press before fusing to make machine appliqué easier.

Place fusible web in narrow strips (approx. 2" wide x 5" long) around the outside edge of the bunny figure on the wrong side of fabric. Fusible web should cover the edge of the printed figure and extend into the cut area. Follow fusible web manufacturer's instructions for fusing to strips to fabric.



Trim rough cut edge from bunny figure, leaving a clean, fused edge close to the printed figure. Remove paper backing from the fused strips and position bunny on quilt center. Refer to page 1 for placement, approximately 4" from the left side and bottom of quilt center. Carefully fuse the bunny figure to the quilt center, following manufacturer's instructions.

Stitch the appliqué using the stitch of your choice. We used a blanket stitch. You may also use a zig zag or straight stitch.

Optional: After stitching you may trim away some of the quilt center behind the applique to prevent bulk or shadowing.

Finishing:

Layer quilt top, batting and backing together to form a quilt sandwich. Baste and quilt as desired. Bind using [5] 2-1/2" Fabric K strips.



WALL HANGINGS:

Trim (2) 12-1/2" squares from panel fabric.

Cut backing fabric into (2) 14" squares.

Sandwich each square with batting and backing fabric.

Quilt as desired and trim each quilted square to 12-1/2".

Bind using (2) 2-1/2" x WOF strips from binding fabric.



Wall Hangings

PILLOW:

Trim (1) 12-1/2" squares from panel fabric.

Cut backing fabric into (2) 10" x 12-1/2" rectangles.



Fold the 12-1/2" side of a 10" x 12-1/2" backing rectangle over 1/2", wrong sides together, and press. Fold 1/2" again and stitch close to the edge. Fold and press this finished edge so the rectangle measures 8" x 12-1/2". Stitch to secure this edge. Repeat with second 10" x 12-1/2" rectangle.



Pillow

Layer the two backing pieces right sides UP, overlapping the finished edges so the pieces create a 12-1/2" x 12-1/2" pillow backing. Baste 1/4" from the edge, along the overlapping sides.

Layer quilted pillow top and back, right sides together, and pin. Stitch 1/2" around the entire pillow. Turn right side out through the split back and insert pillow form.



Make 2

