


Size: 72"W x 90"H • LEVEL: INTERMEDIATE• PATTERN BY: CHRISTINE STAINBROOK



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE BEGINNING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT MICHAELMILLERFABRICS.COM'S FREE PROJECTS SECTION.





FABRIC A SC5333 vanilla 21/8



FABRIC B CX8738 aqua 1½




FABRIC C CX8740 mineral



FABRIC D CX8739 aqua



FABRIC E CX8740 sage 2



FABRIC F CS8740 dusty rose



FABRIC G CX8741 antique 21/8



FABRIC H CX8737 antique 2<sup>3</sup>/<sub>4</sub>

Fabric swatches are not to scale, they are for identification purposes only.

#### PLEASE READ THROUGH ENTIRE PATTERN BEFORE BEGINNING

**WOF** = width of fabric; **HST** = half square triangle; **QST** = quarter square triangle


| KEY | CUTTING INSTRUCTIONS   |
|-----|--|
| A   | (4) $5\frac{1}{2}$ " x WOF. Subcut: (24) $5\frac{1}{2}$ " squares, then cut once diagonally to yeild 48 HST. (9) $4\frac{5}{8}$ " x WOF. Subcut: (72) $4\frac{5}{8}$ " squares, then cut twice diagonally toyeild 288 QST. |
| В   | (96) template A  |
| С   | (48) template B  |
| D   | (48) template B  |
| E   | (7) 2½" x WOF<br>(96) template B   |
| F   | (20) 2½" squares (cornerstones)  |
| G   | (4) 16½" x WOF. Subcut: (31) 2½" x 16½" fussy cut, centering on the coin. (sashing)  |
| н   | (9) 6½" x WOF<br>(9) 2½" x WOF for binding, or use your favorite width.  |
|     | Batting 80" x 98"  |




#### **Blocks:**

Make 12

- 1. Stitch the fabric C and D template B pieces together in pairs, preparing for inset seams.
- 2. Use inset seams to add one fabric A 45% QST to each pair.
- 3. Stitch the pairs together and add one fabric A 4% QST to each using inset seams.
- 4. Stitch the pairs together once more and add one fabric A 4% QST to each side using inset seams to complete the block center.



- 5. Stitch two fabric E template B pieces to one fabric B template A, preparing for inset seams.
- 6. Use inset seams to add two fabric A 45% QST as shown. Make four units.
- 7. Stitch to the block center using inset seams.
- 8. Add one fabric B template A piece between the units from step 6 using inset seams.
- 9. Add the remaining fabric A 45% QST as shown using inset seams.
- 10. Add four fabric A 5½ HST to the corners of the block. Square to 16½". Make twelve blocks.



#### Assembly:

- 11. Use the assembly diagram on page 3 to combine blocks, cornerstones and sashings.
- 12. Stitch four fabric E  $2\frac{1}{2}$ " x WOF strips together in pairs. add to the sides of the quilt, preparing to miter corners.
- 13. Cut one fabric E  $2\frac{1}{2}$ " x WOF strip in half. Add a whole strip to each piece. Add to the top and bottom of the quilt, mitering corners.
- 14. Stitch three fabric H  $6\frac{1}{2}$ " x WOF strips together. Make two strips and add to the sides of the quilt, preparing to miter corners.
- 15. Repeat step 13 with the remaining three fabric H 6½" x WOF strips.





### Finishing:

- 16. Layer, baste and quilt as desired.
- 17. If using 2½" binding strips, trim your quilted top for a 3/8" seam allowance.



