


ROSETTES

SIZE: 54" X 63" • LEVEL: INTERMEDIATE • PATTERN BY: SUSAN EMORY • FABRIC COLLECTION: COTTON COUTURE SOLIDS






ROSETTES QUILT

54" x 63"

FABRIC REQUIREMENTS:




FABRIC A
SC5333 Bright White
3-1/8 yards




FABRIC B
SC5333 Azure
1/4 yard



FABRIC C
SC5333 Lemon
1/4 yard




FABRIC D
SC5333 Wave
1/4 yard




FABRIC E
SC5333 Sprout
1/4 yard



FABRIC F
SC5333 Watermelon
1/4 yard



FABRIC G
SC5333 Stone
3/4 yard
(includes binding)



FABRIC H
SC5333 Bright White
3-1/2 yards
(backing)

You Also Need: FUSIBLE WEB - 1 Yard (17" wide)

WOF = Width of Fabric (selvage to selvage)

LOF = Length of Fabric (parallel to selvage)


KEY	CUTTING INSTRUCTIONS
A	<p>(5) 7" x WOF strips; subcut (24) 7" squares and (6) 5.5" squares.</p> <p>(4) 3" x WOF strips; subcut (24) 3" x 5.5" rectangles.</p> <p>From remaining LENGTH of fabric, cut 54.5" x LOF; subcut (3) 9.5" x 54.5" rectangles.</p> <p>From remaining 54.5" length, cut (2) 5.5" x 54.5" strips; subcut (24) 4.5" x 5.5" rectangles.</p>
B-F	<p>(2) 3" x WOF strips; subcut (12) 3" squares and (4) 3" x 6" rectangles.</p>
G	<p>(2) 3" x WOF strips; subcut (12) 3" squares and (4) 3" x 6" rectangles.</p> <p>Cut (7) 2.5" x WOF strips. Set aside for binding.</p>
Fusible Web	<p>(24) 2.75" x 5.75" rectangles.</p>




ROSETTES QUILT

PIECING INSTRUCTIONS


Flying Geese: Draw a diagonal line, corner to corner, on the wrong side of all Fabric B-G 3" squares. With right sides together, place a 3" print square on the corner of a 3" x 5.5" background rectangle and stitch diagonally on the drawn line. Trim 1/4" from seam and press toward darker fabric. Add a matching print square to opposite corner, trim and press. Make (4) flying geese units with each color.



Center Square: With right sides together, place a 3" print square on the top, left corner of a 5.5" background square and stitch diagonally on the drawn line. Trim 1/4" from the seam and press toward print. Repeat with bottom, right corner of 5.5" square. Sew matching 3" squares to the remaining two corners of the 5.5" square. Make (1) square-in-a-square unit for each of the six colors.




Assemble Block: Arrange units as shown. Sew flying geese units to 4.5" x 5.5" rectangles and press toward rectangle. Sew into horizontal rows and press as indicated. Sew rows together to create an 18.5" square block. Repeat with all colors.




Appliqués: Trace shape on page 4 onto the paper side of a 2.75" x 5.75" rectangle of fusible web. Following manufacturer's directions, fuse a traced rectangle of fusible web to the wrong side of a 3" x 6" Fabric B-G rectangle. Cut the shape on the drawn line. Repeat with remaining 3" x 6" Fabric B-G rectangles.

Remove paper backing from (4) matching appliqué shapes. Position a shape diagonally between two flying geese units and fuse to the block, following fusible web manufacturer's instructions. Repeat to fuse (4) matching shapes to each block.





Edge stitch the appliques using the stitch of your choice. I recommend blanket stitch, zig zag or satin stitch.

Assembly: Sew two rows with 3 blocks each. Sew a 9.5" x 54.5" background rectangle between the rows and to the top and bottom to complete quilt top.



Finishing: Layer quilt top, batting and backing together to form a quilt sandwich. Baste and quilt as desired. Bind using [7] 2-1/2" Fabric G strips.

Appliqué Shape
Trace at 100% scale
Make 24.



Make sure this square
measures 1" after printing.