







LIFT OFF!

32" x 42"



FABRIC A DM9310 Black 1 Panel



FABRIC B DC9308 Black Fat Quarter



FABRIC C DC9305 Black Fat Quarter




FABRIC D DC9306 Black Fat Quarter



FABRIC E DM9304 Cream Fat Quarter




FABRIC F DC9309 Cream Fat Quarter



FABRIC G DC9306 Royal Fat Quarter




FABRIC H DC9309 Royal Fat Quarter



FABRIC I DC9309 Jade Fat Quarter



FABRIC J DC9307 Black 1/3 yard (binding)



FABRIC K DC9312 Black 1-1/2 yards (backing)



LIFT OFF!

マツ "	v	12	,
JZ	Λ	44	

KEY	CUTTING INSTRUCTIONS
Α	Cut panel to 20-1/2" x 30-1/2".
В	Cut (2) 6-1/2" x 7-1/2" rectangles and (2) 6-1/2" squares.
С	Cut (1) 6-1/2" x 7-1/2" rectangle and (2) 6-1/2" squares.
D	Cut (1) 6-1/2" x 7-1/2" rectangle and (2) 6-1/2" squares.
Ε	Cut (20) 3" squares.
F	Cut (20) 3" squares.
G	Cut (10) 3" squares and (5) 2-1/2" squares.
Н	Cut (10) 3" squares and (5) 2-1/2" squares.
I	Cut (20) 3" squares.
J	Cut (4) 2-1/2" x width of fabric strips (set aside for binding).

PIECING:

Draw a diagonal line on the wrong side of (20) 3" Fabric E squares and (20) 3" Fabric F squares. With right sides together, place a 3" Fabric E square on a 3" Fabric H square. Stitch 1/4" on each side of drawn line. Cut along drawn line and press toward Fabric H. Square up unit to measure 2-1/2" square. Repeat to make a total of (20) Fabric E/Fabric H half-square triangle units.









Make 20


Repeat steps above with remaining 3" Fabric E squares and (20) 3" Fabric F squares, pairing them with 3" Fabric G squares and 3" Fabric I squares, to make the units shown below. Be sure to trim each unit to measure 2-1/2" square.


Fabrics E/I Make 20

Fabrics F/G

Fabrics F/I Make 20 Make 20

Arrange (4) Fabric E/H half-square triangles, (4) Fabric E/I half-square triangles and (1) 2-1/2" Fabric H square as shown below. Sew together into horizontal rows and press seams open. Sew rows together and press to complete block. Block should measure 6-1/2" square. Make 5.








Make 5

Arrange (4) Fabric F/G half-square triangles, (4) Fabric F/I half-square triangles and (1) 2-1/2" Fabric G square as shown below. Sew together into horizontal rows and press seams open. Sew rows together and press to complete block. Block should measure 6-1/2" square. Make 5.







Make 5

ASSEMBLY:

Arrange (1) of each pieced block and (1) 6-1/2" square of each Fabrics B, C and D, as shown below. Sew together and press seams toward black squares. Make 1 of each.





Make 1

Sew a pieced border to each side of panel, as shown. Press toward panel.



Arrange (3) pieced blocks and (2) 6-1/2" x 7-1/2" rectangles, as shown below. Sew together and press seams toward black squares. Make 1. Sew to top of panel unit. Press toward panel.



Make 1

Arrange (3) pieced blocks and (2) 6-1/2" x 7-1/2" rectangles, as shown below. Sew together and press seams toward black squares. Make 1. Sew to bottom of panel unit. Press toward panel to complete quilt top.

Make 1

Finishing:

Layer quilt top, batting and backing together to form a quilt sandwich. Baste and quilt as desired. Bind using [4] 2-1/2" Fabric J strips.