

SIZE: 50" X 68" • LEVEL: INTERMEDIATE • PATTERN BY: MARSHA EVANS MOORE • FABRIC COLLECTION: MAKE A SPLASH



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.





FABRIC A DC9360_Blue 1/2 yard



FABRIC B DC9361_Aqua 1/4 yard



FABRIC C DC9362_Aqua 3/8 yard



FABRIC D DC9362_Turquoise 5/8 yard



FABRIC E DC9362_Melon 3/8 yard



FABRIC F DC9362_Coral 3/4 yard*



FABRIC G DC9363_Aqua 1/4 yard



FABRIC H DC9364_ Blue 1/4yard



FABRIC I DC9366_Turquoise 1-1/4 yards



FABRIC J DC9367_Aqua 1/4 yard



FABRIC K DC9368_Cream 5/8 yard



FABRIC L DC9370_Blue 3/8 yard



FABRIC M SC5333_Softwhite 1/4 yard



FABRIC N SC5333_Nickel 1/8 yard

^{*} includes binding



Follow instructions on page 3 to make the pattern for wave appliqué. Cut the wave pattern from fabric indicated below.

WOF = width of fabric. \square = cut in half diagonally once

KEY	CUTTING INSTRUCTIONS
Α	(2) 7-1/2" x 42" strips.
В	(1) 2" x 42" strip. (5) water 1 templates and (5) water 1 templates reversed.
С	 (1) 2" x 42" strip. (1) wave appliqué. (5) sky 1 templates. (5) sky 2 templates. (2) 1" x WOF strips; subcut (10) 1" x 4-1/2" strips and (5) 1" x 5" strips.
D	(2) 2" x 42" strips. (2) wave appliqués. (3) 1-1/2" x WOF strips; subcut (10) 1-1/2" x 3-1/2" rectangles, (10) 1-1/2" squares. (5) water 2 templates and (5) water 2 reversed templates. (2) 2-3/8" x WOF strips; subcut (3) 2-3/8" squares and (5) 1-5/8" squares; cut squares in half diagonally and (10) 1-3/8" x 2-1/2" rectangles.
E	(2) wave appliqués. (3) boat templates. (1) 2-1/2" x 42" strip: subcut (5) 2-1/2" x 1-1/2" rectangles, (5) fish fin templates, (5) fish fin templates reversed.
F	FOR BINDING: (6) 2-1/4" x WOF strips; trim ends diagonally; sew ends together. (2) wave appliqué pieces. (2) 2-1/2" x 42" strips; subcut (2) boat templates and (3) fish body templates. (4) 1-1/2" squares.
G	(1) 5" x 42" strip.
Н	(1) 5" x 42" strip.
ı	(1) 12-1/2" x 42" strip, centered over border design.
J	(1) 7-1/2" x 42" strip.
K	FOR BORDER 2: (6) 3-1/2" x WOF strips; sew ends together. Subcut (2) 3-1/2" x 62-1/2" borders and (2) 3-1/2" x 50" borders. Cutting continued on page 3.



KEY	CUTTING INSTRUCTIONS
L	FOR BORDER 1: (5) 1-1/2" x WOF strips; sew ends together; subcut (2) 1-1/2" x 60-1/2" borders and (2) 1-1/2" x 42" borders. (5) sail 1 templates. (2) fish body templates.
M	(5) sail 2 templates.
N	(1) 3/4" x 42" strip; subcut (5) 3/4" x 6-1/2" strips.

ADDITIONAL MATERIALS

3-1/4 yards backing fabric Thread to match fabrics Sewing machine Rotary cutter, ruler and mat Basic sewing supplies

Black embroidery floss or thread for fish eyes


Optional: paper backed fusible webbing for raw edge appliqué

Optional: paper or freezer paper for turned edge appliqué

WAVE APPLIQUÉ PATTERN

Make 4 copies of the wave template on page 9. Cut out the patterns. Cut along the end seamline to trim both side seam allowances from one pattern piece. Cut the left seam allowance from another piece.


Line up the pieces as shown below. Overlap the patterns matching the side seamlines; glue or tape patterns together. If using a raw edge appliqué method, trim seam allowance from top and bottom edges.






SAILBOAT BLOCKS

- 1. Sew (1) fabric L Sail 1 template to (1) fabric C Sky 1 template to make a rectangle.
- **2.** Sew (1) 1" fabric **C** 1" x 4-1/2" rectangle to top and bottom of rectangle to make sail unit 1. Make 1.
- 3. Sew (1) fabric M Sail 2 template to (1) fabric C Sky 2 template to make a rectangle.
- 4. Sew (1) fabric C 1" x 5" rectangle to bottom of rectangle to make sail unit 2. Make 1.
- 5. Sew sail units 1 and 2 to sides of (1) fabric N 3/4" x 6-1/2" strip. Make 5.




- **6.** Sew (1) fabric **B** water template 1 to left end of (1) fabric **F** boat template. Sew (1) reversed **B** water template to other end to make boat unit. Make 3. Repeat with (1) fabric **E** boat. Make 2.
- **7.** Sew sail units to boat units. Block measures 8-1/2" x 9" including seam allowance. Make 5.







8. Sew the blocks together alternating the colors of the boats and using a slightly wider than 1/4" seam allowance so row measures 8-1/2" x 42" including seam allowance. Sew (1) fabric **C** 2" x 42" strip to top of boat row. Sew (1) fabric **B** 2" x 42" strip to bottom of boat row.





FISH BLOCKS

Step 13

Make 3

9. Draw a diagonal line on the wrong side of (10) fabric **D** 1-1/2" squares.



10. Place (1) fabric \mathbf{D} 1-1/2" square right side down on one end of (1) fabric \mathbf{E} 1-1/2" x 2-1/2" rectangle. Sew along the drawn line. Trim the stitching to 1/4" as indicated by the solid line. Press the \mathbf{D} piece open.



11. Sew (1) fabric **D** 1-1/2" square to the other end of the **E** rectangle, trim and press in the same manner to make the fish face unit. Unit should measure 1-1/2" x 2-1/2" including seam allowance. Make 5.



12. Sew (1) fabric **D** 1-5/8" triangle to (1) **E** fish tail template. Sew (1) fabric **D** 1-5/8" triangle to (1) reversed fish tail template. Sew (1) fabric **D** 2-3/8" triangle to the reversed unit. Make 5 each.



13. Sew the **DE** unit to pointed end of (1) fabric **F** fish body. Sew reversed tail unit to fish and tail unit. Sew (1) fish face unit to end of (1) fabric **F** fish body. Make 3. Repeat with (1) fabric **L** fish body. Make 2.

Step 14

Make 3


14. Sew (1) fabric **D** 1-3/8" x 2-1/2" rectangles to ends of fish.







15. Sew (1) fabric **D** water template 2 to (1) fabric **E** fin template. Sew (1) fabric **D** 1-1/2" x 3-1/2" rectangle to end of fin to complete fin unit. Repeat using (1) fabric **D** reversed water template 2 and (1) fabric **E** reversed fin template. Make 5 each.


16. Sew fin units to top and bottom of fish body units. Embroider fish's eye using black thread or embroidery floss. Fish unit should measure 4-1/2" x 9". Make 5 total.







17. Sew the blocks together alternating the colors of the fish and using a slightly wider than 1/4" seam allowance so row measures 4-1/2" x 42" including seam allowance. Sew
(1) fabric D 2" x 42" strip to top and bottom of the fish row.





QUILT ASSEMBLY

18. Sew (1) fabric A 7-1/2" x 42" strip to top and bottom of (1) fabric I 12-1/2" x 42" strip.



19. Using your favorite appliqué method, sew (1) fabric **C** wave centered over upper seamline. Appliqué (1) fabric **D** wave centered over lower seamline.



- Make 1
- **20.** Following the Quilt Layout on page 8, sew the boat row to the top of the upper fabric **A** strip. Appliqué (1) fabric **F** wave centered over the seamline.
- **21.** Sew (1) fabric **G** 5" x 42" strip to top of the boat row. Appliqué (1) fabric **E** wave centered over the seamline.
- **22.** Sew the fish row to the bottom of the lower fabric **A** strip. Appliqué (1) fabric **E** wave centered over seamline.
- **23.** Sew (1) fabric **J** 7-1/2" x 42" strip to the bottom of the fish row. Appliqué (1) fabric **F** wave centered over seamline.




24. Sew (1) fabric **H** 5" x 42" strip to the bottom of the fish row. Appliqué (1) fabric **D** wave centered over seamline.

BORDERS

- **25.** Sew (1) fabric \mathbf{L} 1-1/2" x 60-1/2" border to sides of quilt. Sew (2) fabric \mathbf{F} 1-1/2" squares to ends of (2) fabric \mathbf{L} 1-1/2" x 42" borders. Sew to top and bottom of quilt.
- **26.** Sew (1) fabric \mathbf{K} (3-1/2" x 62-1/2" border to sides of quilt. Sew (1) fabric \mathbf{K} 3-1/2" x 50" to top and bottom of quilt.

ON THE WAVES TEMPLATES






QUILT LAYOUT



FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using six fabric **F** 2-1/4" strips.



ON THE WAVES TEMPLATES





ON THE WAVES TEMPLATES

