


SIZE: 42-1/2" X 54-1/2" • LEVEL: INTERMEDIATE • PATTERN BY: MARSHA EVANS MOORE FABRIC COLLECTION: COFFEE IS ALWAYS THE ANSWER



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.





FABRIC A DDC9919_PINK 1/4 yard



FABRIC B DDC9919_BROWN 1/2 yard



FABRIC C DDC9920_BLUE 3/8 yard



FABRIC D DDC9920_CREAM 3/8 yard



FABRIC E DDC9921_CREAM 3/8 yard



FABRIC F DDC9922_CREAM 1/8 yard



FABRIC G DDC9922_BROWN 1/4 yard



FABRIC H DDC9923_BLUE 5/8 yard



FABRIC I DDC9923_PINK 1/4 yards



FABRIC J DDC9924_BLUE 1 panel



FABRIC K DC9368_Cream 3/8 yard



Make 8 copies of paper piecing patterns for cup and handle found on page 6.

KEY	CUTTING INSTRUCTIONS
Α	(1) 4-1/4" x WOF strip; subcut (4) 4-1/4" x 5" rectangles and (8) 2-3/4" x 1-1/4" rectangles.
В	(5) 2-1/2" x WOF strips; sew ends together. Subcut (2) 2-1/2" x 50-1/2" borders and (2) 2-1/2" x 42-1/2" borders.
С	(2) 5" x WOF strips; subcut (10) 5" squares.
D	(3) 2-1/2" x WOF strips; sew ends together. Subcut (2) 2-1/2" x 36-1/2" borders and (2) 2-1/2" x 24-1/2" borders.
E	(2) 5" x WOF strips; subcut (10) 5" squares.
F	(1) 2-1/2" x WOF strip; subcut (4) 2-1/2" squares and (8) 1-3/4" x 3-1/2" rectangles (cup # 2).
G	(1) 5" x WOF strip; subcut (2) 5" squares, (8) 2-3/4" squares, and (16) 1-1/4" squares.
н	(1) 5-1/2" x WOF strip; subcut (8) 5-1/2" x 2" rectangles (cup #4),
I	(5) 1" x WOF strips; sew ends together. Subcut (2) 1" x 49-1/2" borders and (2) 1" x 38-1/2" borders.
J	Centering design, fussy cut: (1) 23-1/2" x 36-1/2" rectangle centered over panel and (4) 1" x 19" strips from remaining brown border; sew ends of strips together. Subcut (2) 1" x 36-1/2" strips.
K	(2) 3-1/2" x WOF strips; subcut (8) 3-1/2" squares (cup #3), (8) 1-3/4" x 4" rectangles (cup #1), (24) 1-1/4" x 1-3/4" (handles #2, #3 and #4).


ADDITIONAL MATERIALS


2-3/4 yards backing fabric Thread to match fabrics Sewing machine 50" x 63" batting Paper to print paper piecing patterns Basic sewing supplies




CUP BLOCK

- 1. Paper piece the shapes on the cup pattern in numerical order using **F, H** and **K** fabric pieces. Make 8.
- 2. Paper piece the shapes on the handle pattern in numerical order using H and K fabric pieces. Make 8.
- 3. Carefully remove paper from pieced cup and handle. Sew cup and handle together.







Make 8

HEART BLOCK

4. Draw a diagonal line on the wrong side of fabric **G** 2-3/4" squares and 1-1/4" squares. Make the number indicated.



Make 8



Make 16

- 5. Place (1) fabric G 2-3/4" square right side down on one lower corner of (1) fabric A 4-1/4" x 5" rectangle. Sew along the drawn line. Trim the stitching to 1/4" as indicated by the solid line. Press the **G** piece open.
- 6. Sew (1) fabric G 2-3/4" square to the other lower corner of the fabric A 4-1/4" x 5" rectangle, trim and press in the same manner to make lower heart unit. Unit should measure 4-1/4" x 5" including seam allowance. Make 4.

Step 5







Make 4

7. Place (1) fabric G 1-1/4" square right side down on one end of (1) fabric **A** 1-1/4" x 2-3/4" rectangle. Sew along the drawn line. Trim the stitching to 1/4" as indicated by the solid line. Press the G piece open.





8. Sew (1) fabric G 1-1/4" square to the other end of the A rectangle, trim and press in the same manner to make rectangle unit. Unit should measure 1-1/4" x 2-3/4" including seam allowance. Make 8.



Make 8

9. Sew (2) rectangle units together to make upper heart unit.





10. Sew upper and lower heart units together. Make 4.



Make 4

PATCHWORK BORDERS

11. Arrange (2) cup blocks, (3) **C** 5" squares, (3) **E** 5" squares and (1) **G** 5" squares to make the side borders. Sew them together using generous 1/4" seam allowances so side borders measure 5" x 40-1/2" including seam allowances. Make 2.

12. Arrange (2) cup blocks, (2) **C** 5" squares and (2) **E** 5" squares to make the top and bottom border. Sew them together using scant 1/4" seam allowance so borders measure 5" x 28-1/2" including seam allowance. Sew (1) heart block to the ends of each border. Border should measure 5" x 37-1/2" including seam allowance. Make 2.

Top and Bottom border Make 2



QUILT ASSEMBLY

- **13.** Following the quilt layout on page 5, sew (1) **J** 1" \times 36-1/2" strips to each side of 24" \times 36-1/2" **J** Panel.
- **14.** Sew (1) \mathbf{D} 2-1/2" x 36-1/2" border to each side of center. Sew (2) \mathbf{F} 2-1/2" squares to ends of \mathbf{D} 2-1/2" x 24-1/2" borders. Sew to top and bottom of quilt.
- **15.** Sew (1) patchwork side border to each side of quilt. Sew (1) top and bottom patchwork border to top and bottom of quilt.
- **16.** Sew (1) I 1" \times 49-1/2" border to side of quilt. Sew (1) I 1" \times 38-1/2" borders to top and bottom of quilt.
- **17.** Sew (1) **B** 2-1/2" \times 50-1/2" border to each side of quilt. Sew (1) **B** 2-1/2" \times 42-1/2" border to top and bottom of quilt.



Ε





FINISHING: Layer quilt top, batting and backing together to form quilt sandwich. Baste and quilt as desired. Bind using five fabric **H** 2-1/4" strips.



Paper piecing Patterns

