

SIZE: 49"Wx 49"H • LEVEL: Confident Beginner • PATTERN BY: Project House 360 • Winter Days by Lisa Glaz



PLEASE NOTE: THIS PATTERN HAS BEEN THROUGH OUR TECHNICAL EDITING PROCESS. HOWEVER, BEFORE BEGINNING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT MICHAELMILLERFABRICS.COM IN THE FREE DOWNLOAD SECTION.




Note: Fabric swatches are not to scale, they are for identification purposes only.



FABRIC A DC9578 pink one full repeat



FABRIC B DC9575 pink ½ yard



FABRIC C SC5333 bright white 3/8 yard



FABRIC D DC9568 graphite 3/8 yard



FABRIC E DC9576 pink ½ yard



FABRIC F DC9568 pink 5/8 yard



FABRIC G DC9567 pink ½ yard



FABRIC H DC9571 pink ½ yard



FABRIC I DC9572 pink 1½ yards



FABRIC J DC9569 pink % yard

Backing 31/4 yards

1/4" Seam Allowance Check


To check if your seam is accurate, cut three 1½" x 3" pieces from scrap fabric.

Sew the pieces together along the $3^{\prime\prime}$ side, using what you believe is a $1/4^{\prime\prime}$ seam.

Press away from the center piece.

Measure.

The center piece should be exactly 1" wide.



If, when you measure, the center is less than 1", your seam allowance is too large. You need to move the needle to the right.

If it's more than 1", your seam allowance is too small and you need to move the needle to the left.

Consult your machine's owner's manual for instructions on moving your needle position.

Repeat this check until your center strip measures correctly.




KEY	CUTTING INSTRUCTIONS WOF = width of fabric
A	(1) 20½" x 22" fussy cut, centering design
В	(2) 2½" x WOF strips. Subcut: (2) 2½" x 22" (2) 1¾" x WOF strips. Subcut: (2) 1¾" x 24½"
С	(4) 1½" x WOF (4) 1½" x WOF strips. Subcut: (32) 1½" x 4½" (3) 2¾" x WOF strips. Subcut: (32) 2¾" squares
D	(2) 2½" x WOF
Е	(3) 2 ⁷ / ₈ " x WOF strips. Subcut: (32) 2 ⁷ / ₈ " squares
F	(3) 4½" x WOF strips. Subcut: (64) 1½" x 4½"
G	(8) 4½" squares, fussy cut, centering on design
Н	(8) 4½" squares, fussy cut, centering on design
I	(4) 5" x 54", fussy cut, centering on design
J	(6) 2½" x WOF strips for binding.
	Batting: 57" x 57"

Blocks:

- 1. Draw a diagonal line on one fabric C $2\frac{7}{8}$ " square. Pair, right sides together with one fabric E $2\frac{7}{8}$ " square. Stitch a $\frac{1}{4}$ " seam on each side of the drawn line. Cut on the drawn line and press darker fabric outward. Square to $2\frac{1}{2}$ ". Make (64) units.
- 2. Stitch two fabric C $1\frac{1}{2}$ " x WOF strips together with one fabric D $2\frac{1}{2}$ " x WOF strip as shown to make a stripset. Make two stripsets. Cut into (64) $1\frac{1}{2}$ " x $4\frac{1}{2}$ " strips. Add one fabric F $1\frac{1}{2}$ " x $4\frac{1}{2}$ " rectangle to each piece. Trim to $2\frac{1}{2}$ " x $4\frac{1}{2}$ ". Make (64) units.
- 3. Stitch one fabric C and one fabric F $1\frac{1}{2}$ " x $4\frac{1}{2}$ " strips together as shown. Trim to $2\frac{1}{2}$ " x $4\frac{1}{2}$ ". Make (64) units.



Step 1








- 4. Stitch four half-square triangle units, two of the units from step 2, and two of the units from step 3 together with one fabric G $4\frac{1}{2}$ " square as shown. Square to $8\frac{1}{2}$ ". Make four blocks.
- 5. Repeat step 4, substituting one fabric H 4½" square. Square to 8½". Make eight blocks.
- 6. Repeat step 4, using the remaining fabric G $4\frac{1}{2}$ " squares, arranging blocks as shown to make four corner blocks.

Step 4











Assembly:

- 7. Stitch one fabric B $2\frac{1}{2}$ " x 22" strip to each side of the fabric A $20\frac{1}{2}$ " x 22" panel. Stitch one fabric B $1\frac{3}{4}$ " x $24\frac{1}{2}$ " strip to the top and bottom of the panel.
- 8. Use the assembly diagram on page 4 to add the blocks to the quilt.
- 9. Add the fabric I 5" x 54" strips to the quilt, mitering corners.

Finishing:

- 10. Layer, baste and quilt as desired.
- 11. Bind with six fabric J 21/2" x WOF strips.



Assembly Diagram

