michae miller FABRICS Lil' Rodeo size: 36"W × 42"H • LEVEL: CONFIDENT BEGINNER• PATTERN BY: CHRISTINE STAINBROOK



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE BEGINNING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT MICHAELMILLERFABRICS.COM'S FREE PROJECTS SECTION.

p.212.704.0774 | info@michaelmillerfabrics.com | www.michaelmillerfabrics.com

Lil' Rodeo



¹/₄" Seam Allowance Check


To check if your seam is accurate, cut three $1\frac{1}{2}$ " x 3" pieces from scrap fabric.

Sew the pieces together along the 3" side, using what you believe is a 1/4" seam.

Press away from the center piece.

Measure.

The center piece should be exactly 1" wide.



If, when you measure, the center is less than 1", your seam allowance is too large. You need to move the needle to the right.

If it's more than 1", your seam allowance is too small and you need to move the needle to the left.

Consult your machine's owner's manual for instructions on moving your needle position.

Repeat this check until your center strip measures correctly.

NOTE: Fabric swatches may not be to scale. They are for identification purposes only.



FABRIC A CX11513 multi ³⁄4 yard (3 x 3 grid of motifs)



FABRIC B CX11511 blue 7/₈ yard



FABRIC C CX2490 snowdrop ³⁄4 yard



FABRIC D CX11507 cream 3⁄8 yard



FABRIC E CX11510 red 1∕₃ yard



FABRIC F CX11507 navy 1⁄4 yard



FABRIC G CX11509 brown 1⁄4 yard



FABRIC H CX11512 multi 11⁄3 yards

Backing: 11/2 yards (#CX11508 cream)

Batting: 44" x 50"



Lil' Rodeo

KEY	CUTTING INSTRUCTIONS WOF=width of fabric
A	(1) $16^{1/2}$ " x $22^{1/2}$ " fussy cut, centering over 3 x 3 grid of motifs
В	 (2) 1¹/₂" x WOF. Subcut: (2) 1¹/₂" x 22¹/₂"; (2) 1¹/₂" x 18¹/₂" (2) 1¹/₂" x WOF. Subcut: (2) 1¹/₂" x 32¹/₂" (2) 1¹/₂" x WOF. Subcut: (2) 1¹/₂" x 36¹/₂" (5) 2¹/₂" x WOF for binding
С	 (2) 3¹/₂" x WOF. Subcut: (36) 2" x 3¹/₂" (1) 2" x WOF. Subcut: (18) 2" squares (1) 2¹/₂" x WOF. Subcut: (9) 2¹/₂" squares (1) 4¹/₂" x WOF. Subcut: (9) 4¹/₄" squares
D	(2) 4" x WOF. Subcut: (18) 4" squares
E	(1) 4 ¹ / ₄ " x WOF. Subcut: (9) 4 ¹ / ₄ " squares
F	(1) 3 ¹ / ₂ " x WOF. Subcut: (9) 3 ¹ / ₂ " squares
G	(1) 2 ¹ / ₂ " x WOF. Subcut: (9) 2 ¹ / ₂ " squares (1) 2" x WOF. Subcut: (18) 2" squares
н	(4) $2^{1/2}$ " x LOF. (length of fabric) fussy cut, centering on motif.

Center:

1. Stitch one fabric B $1\frac{1}{2}$ " x $22\frac{1}{2}$ " rectangle to each side of the fabric A $16\frac{1}{2}$ " x $22\frac{1}{2}$ " rectangle.

2. Stitch one fabric B $1\frac{1}{2}$ " x $18\frac{1}{2}$ " rectangle to the top and bottom of the center. Trim to $18\frac{1}{2}$ " x $24\frac{1}{2}$ ".





Lil' Rodeo



Block A:

Make 9

3. Use one fabric G and one fabric C 21/2" square to make two half-square triangle units. Square to 2″.

4. Use the technique sheet on page 7 to make quick corners using two fabric G 2" squares and two fabric C 2" x 31/2" rectangles. Trim to 2" x 31/2".

5. Combine the units with one fabric F 31/2" square, two fabric C 2" squares and two fabric C 2" x 3¹/₂" rectangles as shown. Square block to 6¹/₂". Make nine blocks.



Block B:

Make 9

6. Cut one fabric C and one fabric E 4¹/₄" square twice diagonally. Stitch the pieces together as shown. Cut two fabric D 4" squares once diagonally and add to the units. Square to 31/2".

7. Stitch the units together as shown to complete the block. Square to 61/2". Make nine blocks.





Lil' Rodeo

Assembly:

8. Use the assembly diagram on page 6 to add the blocks to the center.

9. Stitch one fabric B $1\frac{1}{2}$ " x $36\frac{1}{2}$ " rectangle to each side of the quilt. Add one fabric B $1\frac{1}{2}$ " x $32\frac{1}{2}$ " rectangle to the top and bottom of the quilt.

10. Stitch the fabric H strips to the quilt, mitering corners.

Finishing:

- 11. Layer, baste and quilt as desired.
- 12. Bind with five fabric B $2\frac{1}{2}$ " x WOF strips.





michae miller







Quick Corners


Draw a diagonal line on the wrong side of the small squares (black line).

Layer one square, right sides together, on top of the unit.


Stitch on the drawn line (red line).

michae miller

Cut away excess, leaving a 1/4" seam allowance.



Press triangle outward.



Repeat as instructed in pattern.