

michael miller FABRICS

Pit Boss

SIZE: Table Runner 22"W x 54"H • LEVEL: CONFIDENT BEGINNER • PATTERN BY: CHRISTINE STAINBROOK
Placemats 18"W x 12"H



THIS IS A DIGITAL REPRESENTATION OF THE QUILT TOP, FABRIC MAY VARY.

PLEASE NOTE: BEFORE BEGINNING YOUR PROJECT, CHECK FOR ANY PATTERN UPDATES AT MICHAELMILLERFABRICS.COM'S FREE PROJECTS SECTION.

p.212.704.0774 | info@michaelmillerfabrics.com | www.michaelmillerfabrics.com



Pit Boss

1/4" Seam Allowance Check


To check if your seam is accurate, cut three 1 1/2" x 3" pieces from scrap fabric.

Sew the pieces together along the 3" side, using what you believe is a 1/4" seam.

Press away from the center piece.

Measure.

The center piece should be exactly 1" wide.




If, when you measure, the center is less than 1", your seam allowance is too large. You need to move the needle to the right.

If it's more than 1", your seam allowance is too small and you need to move the needle to the left.

Consult your machine's owner's manual for instructions on moving your needle position.

Repeat this check until your center strip measures correctly.



FABRIC A
DC11556 multi
one full repeat




FABRIC B
SC5333 black
1 1/4 yards



FABRIC C
DC11557 multi
one full repeat



FABRIC D
DC11550 white
5/8 yard



FABRIC E
DC11549 white
1/3 yard




FABRIC F
DC11554 white
3/8 yard



FABRIC G
DC11552 black
5/8 yard



FABRIC H
DC11545 black
5/8 yards




FABRIC I
DC11551 black
2/3 yard



BACKING (placemats)
DC11555 black
1 2/3 yards

BATTING
Table Runner: 30" x 60"
Placemats: (4) 18" x 24"



Pit Boss

KEY	CUTTING INSTRUCTIONS	WOF=width of fabric
A	(1) 4 ⁷ / ₈ " x WOF. Subcut: (6) 4 ⁷ / ₈ " squares (table runner) (1) 3 ⁷ / ₈ " x WOF. Subcut: (8) 3 ⁷ / ₈ " squares (placemats) (2) 4 ¹ / ₂ " x WOF. Subcut: (4) 4 ¹ / ₂ " x 12 ¹ / ₂ " rectangles (placemats)	
B	(3) 1 ¹ / ₂ " x WOF (table runner) (5) 2 ¹ / ₂ " x WOF for binding (table runner) (3) 1 ¹ / ₂ " x WOF. Subcut: (8) 1 ¹ / ₂ " x 12 ¹ / ₂ " rectangles (placemats) (6) 2 ¹ / ₂ " x WOF for binding (placemats)	
C	(3) 1 ¹ / ₂ " x WOF (table runner) (1) 1 ⁵ / ₈ " x WOF. Subcut: (16) 1 ⁵ / ₈ " squares (placemats)	
D	(3) 2 ⁷ / ₈ " x WOF. Subcut: (36) 2 ⁷ / ₈ " squares (table runner) (3) 2 ³ / ₈ " x WOF. Subcut: (48) 2 ³ / ₈ " squares (placemats)	
E	(12) 1 ⁵ / ₈ " squares, fussy cut on motif (table runner) (4) template A, fussy cut on motif (placemats)	
F	(3) 1 ⁵ / ₈ " x WOF. Subcut: (12) 1 ⁵ / ₈ " x 9" rectangles (table runner) (4) 1 ⁵ / ₈ " x WOF. Subcut: (16) 1 ⁵ / ₈ " x 6 ⁷ / ₈ " rectangles (placemats)	
G	(1) 9" x WOF. Subcut: (3) 9" squares (table runner) (1) 6 ⁷ / ₈ " x WOF. Subcut: (4) 6 ⁷ / ₈ " squares (placemats)	
H	(4) 1 ¹ / ₂ " x WOF. (table runner) (3) 2" x WOF. Subcut: (48) 2" squares (placemats) (1) 4 ¹ / ₂ " x WOF. Subcut: (4) 4 ¹ / ₂ " x 8 ¹ / ₂ " rectangles (placemats)	
I	(See assembly diagram on page 8 for cutting image if needed) (2) 2 ¹ / ₂ " x 58" fussy cut lengthwise, centering on motif (table runner) (1) 2 ¹ / ₂ " x 58", fussy cut lengthwise, centering on motif. (table runner) Subcut: (2) 2 ¹ / ₂ " x 25" rectangles NOTE: leftover fabric is used as table runner backing (30" x 62")	

Miscellaneous Supplies:

1/4 yard fusible lightweight interfacing, cut into four 4¹/₂ x 8¹/₂" rectangles and fused to the wrong side of the fabric H 4¹/₂" x 8¹/₂" rectangles for placemats.

Table Runner

Blocks:

Make 3

1. Stitch one fabric F $1\frac{5}{8}$ " x 9" rectangle to the left and right sides of one fabric G 9" square.
2. Stitch one fabric E $1\frac{5}{8}$ " square to each end of two fabric F $1\frac{5}{8}$ " x 9" rectangles. Add to the top and bottom of the block. Square to $11\frac{1}{4}$ ". Make three blocks.



3. Stitch one fabric B and one fabric C $1\frac{1}{2}$ " x WOF strip together to make a stripset. Make three stripsets. Cut into (72) $1\frac{1}{2}$ " x $2\frac{1}{2}$ " pieces.

4. Stitch the pieces together as shown to make (36) four-patch units. Square to $2\frac{1}{2}$ ".

Step 3




Step 4



5. Cut 36 fabric D $2\frac{7}{8}$ " squares once diagonally. Add the triangles to the four-patch units as shown. Make four units.

6. Add the units to each block as shown.

Step 5



Step 6



Pit Boss

7. Cut six fabric A $4\frac{7}{8}$ " squares once diagonally. Add a triangle to each corner of each block. Square blocks to $16\frac{1}{2}$ ". Make three blocks.



Assembly:

(See assembly diagram on page 8)

8. Stitch the blocks together, end-to-end.
9. Stitch four fabric H $1\frac{1}{2}$ " x WOF strips together end-to-end. Cut two strips $1\frac{1}{2}$ " x $48\frac{1}{2}$ " and add to the long sides of the quilt.
10. Cut two strips $1\frac{1}{2}$ " x $18\frac{1}{2}$ " and add to the top and bottom of the quilt.
11. Stitch one fabric I $2\frac{1}{2}$ " x 58" strip to the long sides of the quilt, preparing to miter corners.
12. Stitch one fabric I $2\frac{1}{2}$ " x 25" strip to the top and bottom of the quilt, mitering corners.

Finishing:

13. Layer, baste and quilt as desired.
14. Bind with five fabric B $2\frac{1}{2}$ " x WOF strips.

Placemats (Set of Four)

Blocks:

Make four

15. Stitch one fabric F $1\frac{5}{8}$ " x $6\frac{7}{8}$ " rectangle to the left and right sides of one fabric G $6\frac{7}{8}$ " square.

16. Stitch one fabric C $1\frac{5}{8}$ " square to each end of two fabric F $1\frac{5}{8}$ " x $6\frac{7}{8}$ " rectangle. Add to the top and bottom of the block. Square to 9".




17. Cut the fabric D $2\frac{3}{8}$ " squares once diagonally.

18. Combine the fabric D triangles with the fabric H 2" squares as shown. Make sixteen units.

19. Add to the blocks as shown. Make four blocks.

Step 18



Step 19



Pit Boss

20. Cut the fabric A $3\frac{7}{8}$ " squares once diagonally. Add to the corners of the blocks as shown. Square blocks to $12\frac{1}{2}$ ". Make four blocks.



21. Stitch one fabric B $1\frac{1}{2}$ " x $12\frac{1}{2}$ " rectangle to the right-hand side of each block.
22. To make the silverware pocket, fold the fabric H $4\frac{1}{2}$ " x $8\frac{1}{2}$ " rectangles (with interfacing) in half, wrong sides together, and press to create a fold line.
23. Using your favorite method of applique, add one fabric E template A piece to the lower part of the fabric H $4\frac{1}{2}$ " x $8\frac{1}{2}$ " rectangle, centering the applique horizontally and placing it $\frac{1}{2}$ " from the fold line. Applique in place.
24. Fold piece in half and place it on the bottom of one fabric A $4\frac{1}{2}$ " x $12\frac{1}{2}$ " rectangle, aligning raw edges. Baste in place along raw edges.
25. Stitch one fabric B $1\frac{1}{2}$ " x $12\frac{1}{2}$ " rectangle to the right side of the unit. Add to the block to complete the placemat. Trim to $12\frac{1}{2}$ " x $18\frac{1}{2}$ ". Make four.



Pocket Opening

Finishing:

26. Layer, baste and quilt as desired.
27. Bind with six fabric B $2\frac{1}{2}$ " x WOF strips.

Pit Boss

Table Runner Assembly Diagram

