Glorious Angel



| Quilt designed by Heidi Pridemore

Level: Advanced Beginner | Size: 64" W x 84" H



Fabric Requirements

Backing & Batting: 72" x 92"



CX4653-Black Divine Crosses % yard




CX4652-Black Main Stripe 2 ½ yards



K2247-Krystal 1 ¼ yards



K1156-Krystal 1 yard



Jet Black 2 ⅓ yards



K1024-Krystal ⁷/₈ yard



CX4653-Black Divine Crosses 5 1/4 yards



CX4648-Gold Golden Angel Panel 1 panel

"Golden Angel"

Quilt by Heidi Pridemore

Size: Approximately 64" x 84" Skill Level: Advanced Beginner

stripe.

2 ½" squares.

Cutting

• Cut two 5 ½" x 86" strips from the length of fabric (LOF),

• Cut two 5 1/2" x 67" strips LOF, each centered on the red

• Cut ten 2 ½" x WOF strips. Sub-cut the strips into (160)

• Cut three 2 1/2" x WOF strips. Sew the strips together, end

• Cut three 2 1/2" x WOF strips. Sew the strips together, end

• Cut four 2 1/2" x WOF strips. Sew the strips together, end to

• Cut three 2 1/2" x WOF strips. Sew the strips together, end

each centered on the red stripe.

to end, and cut two 2½" x 44" strips.

to end, and cut two 2½" x 46 ½" strips.

end, and cut two 2½" x 70 ½" strips.

to end, and cut two 2½" x 54 ½" strips.

• Cut two 2 1/2" x 28" strips.

• Cut two 2 ½" x 30 ½" strips.

Materials

(C)

(D)

(E)

Cutting instructions

Fabric

CX4652-Black

Main Stripe

K2247-Krystal

K1156-Krystal

Please Note: All strips are cut across the width of fabric (WOF) from selvage to selvage edge. Yardage

2 1/2 yards

1 1/4 yards

1 yard

	1 45115	raraago	
(A)	CX4648-Gold Golden Angel Panel	1 panel	• Cut one 24" x 44" panel.
(B)	CX4653-Black Divine Crosses	% yard	• Cut three 4 $\frac{1}{2}$ " x WOF strips. Sub-cut the strips into twenty 4 $\frac{1}{2}$ " squares.

(F)	Jet Black	2 ⅓ yards	 Cut ten 3 ½" x WOF strips. Sub-cut the strips into (160) 2 ½" x 3 ½" strips. Cut ten 2 ½" x WOF strips. Sub-cut the strips into (160) 2 ½" squares. Cut eight 2 ½" x WOF strips for the binding. 			
(G)	K1024-Krystal	⅓ yard	• Cut seven 3 ½" x WOF strips. Sub-cut the strips into eighty 3 ½" squares.			
Back	cing CX4653-Black Divine Crosses	5 ¼ yards	Cut two 92" x WOF strips. Piece the strips together and trim to make the 72" x 92" pieced backing.			
You will also need:						

• 72" x 92" batting, threads to match, scissors, straight pins, acrylic ruler, rotary cutter and mat.

Disclaimers

This pattern is provided as a courtesy to guilt stores, catalogs and guilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished guilt design.

While every attempt has been made to give accurate measurements, yardage requirements and construction directions; this does not allow personal variations in measuring, cutting or sewing. The enclosed directions were used in the construction of the original quilt.

Block Assembly

- 1. Sew one 2 1/2" x 44" Fabric D strip to each side of the 24" x 44" Fabric A panel. Sew one 2 ½" x 28" Fabric D strip to the top and bottom of the Fabric A panel. Trim the panel to measure 26 ½" x 46 ½".
- 2. Sew one 2 ½" x 46 ½" Fabric E strip to each side of the panel. Sew one 2 ½" x 30 ½" Fabric E strip to the top and bottom of the panel to complete the center block (Fig. 1).
- 3. Place one 2 ½" Fabric D square on the right side of one 2 ½" x 3 ½" Fabric F strip, right sides together (Fig. 2). Sew across the diagonal of the square from the upper left corner to the lower right corner (Fig. 2). Flip open the triangle formed and press (Fig. 3). Trim away the excess fabric from behind the triangle. leaving a 1/4" seam allowance to complete one left F/D unit. Repeat to make eighty left F/D units total.



Repeat Step 3 but sew from the upper right corner to the lower left corner of the Fabric D 4. square (Fig. 4). Flip open the triangle formed and press. Trim away the excess fabric from behind the triangle, leaving a 1/4" seam allowance to complete one right F/D unit. Repeat to make eighty right F/D units total.



Left F/D make 80

Fig. 3

Right F/D make 80

- 5. Place one 2 ½" Fabric F square on the top right corner of one 3 ½" Fabric G square, right sides together (Fig. 5). Sew across the diagonal of the smaller square from the upper left corner to the lower right corner (Fig. 5). Flip open the triangle formed and press (Fig. 6). Trim away the excess fabric from behind the triangle 1/4" away from the sewn seam.
- Follow Figure 7 for the seam direction to add a 2 1/2" Fabric F square to the lower left corner of 6. the 3 ½" Fabric G square to make one F/G/F unit (Fig. 8).
- 7. Repeat Steps 5-6 to make eighty F/G/F units total.






Fig. 6





8. Follow Figure 9 and sew four F/G/F units, four left F/D units, four right F/D units and one 4 ½" Fabric B square together to make one border block. Repeat to make twenty border blocks

total.



Quilt Top Assembly (Refer to Quilt Layout while assembling the guilt top.)

- 9. Sew five border blocks together to make one border strip. Repeat to make four border strips total. Sew one border strip to each side of the center block. Sew one border strip to the top and bottom of the center block to make the quilt top.
- 10. Sew one 2 ½" x 70 ½" Fabric E strip to each side of the quilt top. Sew one 2 ½" x 54 ½" Fabric E strip to the top and bottom of the quilt top.
- 11. Center one 5 ½" x 86" Fabric C strip on one side of the quilt top and pin in place. Start sewing the strip a ¼" from the top edge of the quilt top and stop a ¼" from the bottom edge. **DO NOT TRIM THE EXCESS.** Repeat with the opposite side.
- 12. Repeat Step 11 to sew one 5 ½" x 67" Fabric C strip to the top and to the bottom of the quilt top, making sure to stop and start ¼" away from each end of the quilt top. To miter each corner, fold the quilt top on a diagonal, wrong sides together. This should line up the strips from adjacent sides (Fig. 10).
- 13. Starting at the sewn seam (represented by the arrow in Figure 10), draw a 45-degree line to the edge of the fabric. Sew on the drawn line. Trim the excess fabric leaving a ¼" seam. Repeat this step with the remaining corners.





Fig. 10

- 14. Layer and quilt as desired.
- 15. Sew the eight 2 ½" x WOF Fabric F strips together, end-to-end with 45-degree seams, to make the binding. Fold this long strip in half lengthwise with wrong sides together and press.
- 16. Bind as desired.



Quilt Layout